

Vivenis

Single lever shower mixer for exposed installation

Surfaces: **Chrome** Article Number: **75620000**



Description

product features

- 1 function
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- maximum flow rate at 3 bar: 12,3 l/min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15

Design awards




reddot winner 2021


Product image



Scale drawing



Flowchart




Vivenis
Single lever shower mixer for exposed installation
 Surfaces: **Chrome** Article Number: **75620000**



Exploded Drawing

Year of production: >06/21



Vivenis

Single lever shower mixer for exposed installation

Surfaces: **Chrome** Article Number: **75620000**



Spare part list

Year of production: >06/21

Pos.	Description	Article Number	Price	PU
1	hollow set screw M5x5	98446000	-	1
2	flange	94370000	-	1
3	nut	93995000	-	1
4	cartridge, assy	93895000	-	1
5	screw	94366000	-	1
6	Hose Connection	96044000	-	1
7	O-ring 14x2	98129000	-	1
8	set of non return valves DW 15	94074000	-	1
9	escutcheon Ø 70 mm	94365000	-	1
10	set of S-unions	95772000	-	1
11	O-ring 29x3	98371000	-	1