




**KWC**

KWC in the  
bathroom

# KWC in the bathroom

## Portfolio 2026/2027



Further information on our product lines can be found on our homepage [www.kwc.com](http://www.kwc.com).



## Introduction

KWC Technologies

2

## Our faucet lines

<b>KWC</b> ACTIVO	8
<b>KWC</b> AVA 2.0	12
<b>KWC</b> AVA E	18
<b>KWC</b> BEVO	<b>UP DATE</b> 22
<b>KWC</b> DOMO   6.0	28
<b>KWC</b> ELLA	36
<b>KWC</b> FIT	40
<b>KWC</b> MONTA	44
<b>KWC</b> ONO E	48
<b>KWC</b> ORA	54
<b>KWC</b> VITA 2.0	<b>UP DATE</b> 60
<b>KWC</b> VITA PRO 2.0	64
<b>KWC</b> WAMAS 2.0	68
<b>KWC</b> ZOE	72
<b>KWC</b> Stainless steel basin	76

## ShowerCulture


<b>KWC</b> Shower systems	<b>UP DATE</b> 80
<b>KWC</b> Thermostatic mixers	<b>UP DATE</b> 82
<b>KWC</b> Hand showers	<b>UP DATE</b> 86
<b>KWC</b> Shower heads	<b>UP DATE</b> 88
<b>KWC</b> Sliding wall bars	<b>UP DATE</b> 90
<b>KWC</b> Shower arms	<b>UP DATE</b> 91
<b>KWC</b> Shower brackets and hose connections	<b>UP DATE</b> 93
<b>KWC</b> Shower hoses	<b>UP DATE</b> 94
<b>KWC</b> Siphons and tub spouts	<b>UP DATE</b> 95
<b>KWC</b> Shut-off valve	<b>UP DATE</b> 95
General information	96

# Hygiene




## HealthProtect

Better hygiene and unchanged water quality: HealthProtect highlights the strict standards we set ourselves to ensure that our faucets do not affect the taste and smell of your water – that is why we use high-quality materials (metals, plastics) that are ideally suited for contact with water.




## LEDShine

Visible precision and a bright, friendly workspace: LEDShine does more than just contribute to a special working atmosphere – this innovative feature makes it easier to see the tiniest specks of dirt and makes it possible to use the faucet without turning on a light.




## DualFlow

Maximum hygiene and uncompromised safety: Separate water conduits ensure that mixed water and filtered water never come into contact. An intelligent solution that guarantees absolute purity and unaltered taste.




## SprayClean

Actively helps with the removal of limescale: With a special faceplate and fastening mechanism, SprayClean prevents limescale buildup. Any deposits are sprayed away automatically when the water is running. The special fastening mechanism helps with more stubborn lime deposits: simply turn, clean, and the job is done.




## HybridControl

Touchless operation and flexible control: Allows touchless activation of cold water via a sensor, as well as manual mixing of hot and cold water using the lever. Cutting-edge technology for intuitive handling and versatile applications.



## TripleClean

Three water streams for more flexibility: TripleClean allows you to change between a normal stream for filling glasses, a soft spray for gently cleaning food, and a power spray for pre-rinsing and removing dirt from dishes.



## PurifiedWater


Enhanced purity and unaltered water enjoyment: Featuring advanced filtration technology, this solution minimizes particles larger than 0.5 micrometers, including heavy metals, microplastics, chlorine odors and tastes, as well as bacteria. Impeccable water quality to meet the highest standards.

# Sustainability



## EcoProtect

For economical water consumption and responsible use of resources: EcoProtect represents our commitment to promoting a sustainable lifestyle.




## CoolFix

Intelligent and efficient resource usage: With CoolFix, when the lever is in the center – the most common position – the water runs cold. Only when the lever is turned to the left, the water runs warm.



## GlacierFinish

Robust surfaces and high-quality craftsmanship: GlacierFinish is equipped with durable surfaces that are exceptionally robust and feature an attractive polished shine that you can enjoy for years to come.



## PrecisionMove

Exceptional elegance and precision: PrecisionMove allows for seamless movements and exceptional convenience thanks to our consistent use of top-quality materials and superior craftsmanship.



## QualityControl

Exceptional quality from A to Z: with KWC QualityControl, we guarantee the utmost product reliability. KWC performs and continuously monitors all stages of the process: development, production, installation, and even the manufacture of the required tools.



## ClickControl

Simple gestures enable water amounts, temperatures and delivery modes to be programmed and recalled through ClickControl, an intelligent extension to standard manual operation. Ideal for everyday tasks and mindful water consumption, without compromising simplicity.



## EcoControl


For precise water flow control and responsible resource use, EcoControl noticeably limits the flow rate up to the first lever stop. When the lever is opened further, the full water volume becomes available.

# Safety



## TouchProtect

Safe to use: An insulated hot water guidance system with a “double skin” principle means the body of the faucet or the pull-out spray can become warm but never hot. In this way, TouchProtect intelligently prevents scalding.




## SkinProtect

Effective protection against scalding: With SkinProtect, your faucet will only supply you with water hotter than 38°C when you press the safety button on the temperature controller. If the cold water is shut off, the faucet automatically shuts off the hot water immediately.



## SwivelStop

Stop the faucet from moving too far and prevent water damage: SwivelStop allows the swivel range to be adjusted from 360° to 120° or 150° in just a few steps, ensuring that the water only flows into the sink.



## QuickConnect

Easy installation and more safety in the kitchen: with QuickConnect, there is no need to screw on the spray head hose, which means there is also no risk of damaging the seal and causing water damage.



## CertificationGuarantee


Trust is good, certifications are better: our KWC CertificationGuarantee ensures that we have all of our products professionally inspected and certified across all markets.



## SprayLock


Adjust the flow: With SprayLock, you can keep the jet of water from your faucet flowing exactly how you want, even when the water is shut off. When you turn the water back on, the water flows in the same way again.

# Enthusiasm




## DesignSpray

Elegant design and functionality: With DesignSpray, the pull-out spray is seamlessly integrated and recessed. It can be easily extended with just one finger.




## UniqueLever

Innovative lever designs that allow for natural and intuitive use: UniqueLever features innovative KWC design – elegance and precision that you can not only see, but also feel every day.




## QuickInstallation

Hassle-free positioning and fastening of the threaded connection for quick and easy installation: the locking nut is screwed into place by hand to hold the faucet in position using QuickInstallation, before it is fixed in place via the two locking screws.



## IntelligentControl

Intuitive control meets modern convenience: IntelligentControl reacts to a tap of your finger, can be programmed based on your personal habits and requirements, and has a light ring that indicates the current water temperature.




## PowerClean

The spray you want at the touch of a button: PowerClean makes it exceedingly easy to switch the flow of water on the spray head – from a standard spray to a fine needle spray.




## TwistProtect

Effortless work around the sink: TwistProtect prevents the hose from twisting or knotting.



## OptimalSpace

Practical yet elegant ergonomic design: OptimalSpace features long, tall spouts that provide ample space for washing and or working.



## EasyLock

A spray that is easy to use and automatically snaps into place: EasyLock is equipped with special positioning pins that ensure that the pull-out spray is always in the right position.



## HighFlex

Increased freedom of movement and ease of use: HighFlex makes it possible to move the spring hose in every direction while ensuring it remains reliably stable when not in use.



# The bathroom as an oasis of well-being

Recharge your batteries and take a break – or quickly and easily get ready for the day ahead: with our wash basin, shower and bath taps, every bathroom can become your haven of relaxation. A wide range of design-strong taps that not only look great, but are also a lasting delight thanks to their intuitive and safe operation and their high-quality materials.

## KWC ACTIVO

# A unique design

KWC ACTIVO is so bold and self-assured that it can even be combined with more playful elements to create a well-balanced, stylish whole that perfectly harmonizes rigorous design, sensuality and lightheartedness. A line of faucets with a dynamic feel that brings fresh energy into the bathroom every day.

Inviting lines: the lever is slightly bent upward, which makes it fit perfectly into the user's hand and also gives off a feeling of openness and lightheartedness.







**Basin**

Lever mixer  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.401.041.000FL**, chromeline,  
A 100, with pop-up valve  
**12.401.051.000FL**, chromeline,  
A 100, without pop-up valve

Flow rate 5 l/min (3 bar)



**Basin**

Lever mixer  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.401.042.000FL**, chromeline,  
A 140, with pop-up valve  
**12.401.052.000FL**, chromeline,  
A 140, without pop-up valve

Flow rate 5 l/min (3 bar)




**Bidet**

Lever mixer  
- fixed spout

**KWC-No.**

**13.401.042.000FL**, chromeline,  
A 125, with pop-up valve

Flow rate 6 l/min (3 bar)




**Tub**

Lever mixer  
- fixed spout

**KWC-No.**

**20.402.332.000**, chromeline,  
AD 150±20 mm, A 165, without  
hand shower, hose and bracket

Flow rate 20 l/min (3 bar)  
Spray outlet:  
Flow rate 16.5 l/min (3 bar)



**Shower**

Lever mixer

**KWC-No.**

**21.402.330.000**, chromeline,  
AD 150±20 mm,  
without hand shower and hose

Spray outlet:  
Flow rate 16 l/min (3 bar)



**Tub**

Trim kit with function unit

**KWC-No.**

**20.404.502.000**, chromeline  
**20.404.512.000**, chromeline,  
with Ssafety device

Flow rate 19 l/min (3 bar)




**Shower**

Trim kit with function unit

**KWC-No.**

**21.404.502.000**  
chromeline

Flow rate 19 l/min (3 bar)




**Tub**

Trim kit with function unit  
KWC HOMEBOX  
- Lever mixer

**KWC-No.**

**20.404.550.000**, chromeline,  
Safety device DIN EN 1717

Flow rate 19.2 l/min (3bar)  
Spray outlet:  
Flow rate 15.3 l/min (3bar)



**Shower**

Trim kit with function unit  
KWC HOMEBOX  
- Lever mixer

**KWC-No.**

**21.404.550.000**, chromeline,  
Safety device DIN EN 1717

Flow rate 16 l/min (3bar)



## KWC AVA 2.0

# Design and function in playful harmony



Unique flat lever, elegant soft-cube design, ultrasleek silhouette – those with an eye for the essential will recognize the clear statement in the KWC AVA 2.0. Whoever lives here knows exactly what they want from life – and from their bathroom: stylish confidence, simple elegance, excellent quality, and functionality so perfect that you barely even notice it.



The unique flat lever of KWC AVA 2.0 is symbolic of its perfect synthesis of modern architecture and contemporary lifestyle.

Perfectly adjusted water stream: The PERLATOR® HONEYCOMB® SSR aerator allows the direction of the water stream to be adjusted to suit the washbasin.





**Basin**

Lever mixer  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.468.041.000FL**, chromeline,  
A 105, with pop-up valve  
**12.468.051.000FL**, chromeline,  
A 105, without pop-up valve  
**12.468.641.000FL**, chromeline,  
A 105, with Push Open

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.468.031.000FL**, chromeline,  
A 105, with pop-up valve  
**12.468.071.000FL**, chromeline,  
A 105, without pop-up valve  
**12.468.631.000FL**, chromeline,  
A 105, with Push Open

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.468.042.000FL**, chromeline,  
A 125, with pop-up valve  
**12.468.052.000FL**, chromeline,  
A 125, without pop-up valve  
**12.468.642.000FL**, chromeline,  
A 125, with Push Open

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.468.032.000FL**, chromeline,  
A 125, with pop-up valve  
**12.468.072.000FL**, chromeline,  
A 125, without pop-up valve  
**12.468.632.000FL**, chromeline,  
A 125, with Push Open

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.468.043.000FL**, chromeline,  
A 145, with pop-up valve  
**12.468.053.000FL**, chromeline,  
A 145, without pop-up valve  
**12.468.643.000FL**, chromeline,  
A 145, with Push Open

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.468.033.000FL**, chromeline,  
A 145, with pop-up valve  
**12.468.073.000FL**, chromeline,  
A 145, without pop-up valve  
**12.468.633.000FL**, chromeline,  
A 145, with Push Open

Flow rate 5 l/min (3 bar)



### Basin

Lever mixer  
For top-mounted basins  
- EcoProtect  
- fixed spout  
- OptimalSpace

#### KWC-No.

**12.468.093.000FL**, chromeline,  
A 185, without pop-up valve  
**12.468.663.000FL**, chromeline,  
A 185, with Push Open

Flow rate 5 l/min (3 bar)




### Basin

Lever mixer  
- EcoProtect  
- Swivel spout 120°  
- OptimalSpace

#### KWC-No.

**12.468.131.000FL**, chromeline,  
A 150, with pop-up valve  
**12.468.141.000FL**, chromeline,  
A 150, without pop-up valve  
**12.468.651.000FL**, chromeline,  
A 150, with Push Open

Flow rate 5 l/min (3 bar)




### Basin

Lever mixer trim kit  
- fixed spout  
- OptimalSpace

#### KWC-No.

**11.462.063.000**  
chromeline, A 175  
**11.462.064.000**  
chromeline, A 225

Flow rate 5 l/min (3 bar)




### Basin

Lever mixer trim kit  
- fixed spout  
- OptimalSpace

#### KWC-No.

**11.462.033.000**  
chromeline, A 175  
**11.462.034.000**  
chromeline, A 225

Flow rate 5 l/min (3 bar)




### Bidet

Lever mixer  
- fixed spout

#### KWC-No.

**13.461.041.000FL**, chromeline,  
A 110, with pop-up valve

Flow rate 7 l/min (3 bar)



### Tub

Lever mixer  
for freestanding tub  
- fixed spout


#### KWC-No.

**20.461.093.000**, chromeline,  
A 250, with hand shower and hose

Flow rate 21 l/min (3 bar)  
Spray outlet:  
Flow rate 8.2 l/min (3 bar)

**Tub**

Lever mixer  
- TouchProtect  
- fixed spout




**KWC-No.**

**20.462.483.000** chromeline,  
AD 150±20 mm, A 190, without  
hand shower, hose and bracket

Flow rate 20 l/min (3 bar)  
Spray outlet:  
Flow rate 13 l/min (3 bar)

**Shower**

Lever mixer  
- TouchProtect




**KWC-No.**

**21.462.480.000** chromeline,  
AD 150±20 mm  
without hand shower and hose

Spray outlet:  
Flow rate 12.7 l/min (3 bar)

**Tub**

Lever mixer  
- Rotatable spout 60°



**KWC-No.**

**20.462.440.000** chromeline,  
AD 150±20 mm, without hand  
shower, hose and bracket

Flow rate 20.1 l/min (3 bar)  
Spray outlet:  
Flow rate 12.5 l/min (3 bar)

**Shower**

Lever mixer



**KWC-No.**

**21.462.330.000** chromeline,  
AD 150±20 mm, without hand  
shower and hose

Spray outlet:  
Flow rate 12.7 l/min (3 bar)

**Tub**

Trim kit with function unit



**KWC-No.**

**20.464.500.000**  
chromeline  
**20.464.510.000**  
chromeline, with safety device

Flow rate 19 l/min (3 bar)

**Shower**

Trim kit with function unit




**KWC-No.**

**21.464.500.000**  
chromeline

Flow rate 19 l/min (3 bar)

**Tub**

Trim kit with function unit  
KWC HOMEBOX  
- Lever mixer




**KWC-No.**

**20.464.550.000**, chromeline,  
Safety device DIN EN 1717

Flow rate 19.2 l/min (3bar)  
Spray outlet:  
Flow rate 15.2 l/min (3bar)

**Shower**

Trim kit with function unit  
KWC HOMEBOX  
- Lever mixer



**KWC-No.**

**21.464.550.000**, chromeline,  
Safety device DIN EN 1717

Flow rate 16 l/min (3bar)



**KWC** AVA E

# Pure elegance for the bathroom

Elemental joy for architectural devotees: the refined round and square designs ensure that the award-winning faucets integrate seamlessly into their surroundings, the purist design language is complemented by the stainless steel components. This creates a harmonious counterpoint between the sleek silhouette and its practical nature, its matte finish gently reflecting the tones of its surroundings.



KWC AVA E not only makes the bathroom more beautiful, but heightens the pleasure of being in it: using the lever becomes a daily source of luxury and tactile joy. The stainless-steel finish is easy to clean, durable, scratch- and abrasion-resistant, and hygienic.



**Basin**

Lever mixer  
 - made of stainless steel  
 - EcoProtect  
 - fixed spout

**KWC-No.**

**12.451.641.700FL**, stainless steel,  
 A 115, with Push Open  
**12.451.051.700FL**, stainless steel,  
 A 115, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
 - made of stainless steel  
 - EcoProtect  
 - fixed spout  
 - OptimalSpace

**KWC-No.**

**12.451.642.700FL**, stainless steel,  
 A 145, with Push Open  
**12.451.052.700FL**, stainless steel,  
 A 145, without pop-up valve

Flow rate 5 l/min (3 bar)


**Basin**

Lever mixer  
 - made of stainless steel  
 - EcoProtect  
 - fixed spout  
 - OptimalSpace

**KWC-No.**

**12.451.093.700FL**, stainless steel,  
 A 195, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer trim kit  
 - made of stainless steel  
 - EcoProtect  
 - fixed spout  
 - OptimalSpace

**KWC-No.**

**11.452.064.700**  
 stainless steel, A 225

Flow rate 5 l/min (3 bar)


**Basin**

Lever mixer  
 - made of stainless steel  
 - EcoProtect  
 - fixed spout  
 - OptimalSpace

**KWC-No.**

**13.458.041.700FL**, stainless steel,  
 A 115, with pop-up valve

Flow rate 4,1 l/min (3 bar)


**Tub**

Lever mixer  
- made of stainless steel  
- fixed spout

**KWC-No.**

**20.452.480.700**  
stainless steel, AD 150±20 mm,  
without hand shower, hose and  
bracket

Flow rate 20,8l/min (3bar)  
Spray outlet:  
Flow rate 12,8l/min (3bar)

**Shower**

Lever mixer  
- made of stainless steel

**KWC-No.**

**21.452.480.700**  
stainless steel, AD 150±20 mm,  
without hand shower and hose

Flow rate 17 l/min (3bar)

**Tub**

Trim kit with function unit

**KWC-No.**

**20.454.500.177**  
brushed steel, trim kit  
**20.454.510.177**, brushed steel,  
Trim kit with safety device  
DIN EN 1717

Flow rate 19 l/min (3 bar)


**Shower**

Trim kit with function unit

**KWC-No.**

**21.454.500.177**  
brushed steel, trim kit

Flow rate 19 l/min (3 bar)


**Tub**

Lever mixer  
for freestanding tub  
- made of stainless steel  
- fixed spout

**KWC-No.**

**20.451.094.700** stainless steel,  
A 245, with hand shower and hose

Flow rate 21 l/min(3bar)  
Spray outlet:  
Flow rate:8.2 l/min(3bar)

**Tub spout**

- made of stainless steel  
- fixed spout

**KWC-No.**

**26.458.033.700** stainless steel,  
A 200

Flow rate 29l/min(3bar)

## KWC BEVO

# Harmony in form and function

The KWC BEVO impresses with its clarity of design and clean lines. The slim silhouette, elegantly shaped spout, and unmistakable lever design are a testament to this. Premium materials and precise workmanship underscore the high quality and durability.



The basalt grey cap cleverly accentuates the weightlessness of the fitting, giving the lever a floating appearance.





### Basin

Lever mixer  
- EcoProtect  
- fixed spout



#### KWC-No.

**12.421.041.000FL**, chromeline,  
A 115, with pop-up valve  
**12.421.051.000FL**, chromeline,  
A 115, without pop-up valve  
**12.421.641.175FL**, brushed gold,  
A 115, with Push Open **NEW**  
**12.421.051.175FL**, brushed gold,  
A 115, without pop-up valve **NEW**  
**12.421.641.176FL**, matt black,  
A 115, with Push Open  
**12.421.051.176FL**, matt black,  
A 115, without pop-up valve  
**12.421.641.177FL**, brushed steel,  
A 115, with Push Open  
**12.421.051.177FL**, brushed steel,  
A 115, without pop-up valve  
**12.421.641.178FL**, brushed copper,  
A 115, with Push Open **NEW**  
**12.421.051.178FL**, brushed copper,  
A 115, without pop-up valve **NEW**  
**12.421.641.179FL**, brushed graphite,  
A 115, with Push Open **NEW**  
**12.421.051.179FL**, brushed graphite,  
A 115, without pop-up valve **NEW**

Flow rate 5 l/min (3 bar)



### Basin

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout

#### KWC-No.

**12.421.031.000FL**, chromeline,  
A 115, with pop-up valve  
**12.421.071.000FL**, chromeline,  
A 115, without pop-up valve

Flow rate 5 l/min (3 bar)



### Basin

Lever mixer  
- EcoProtect  
- fixed spout  
- OptimalSpace



#### KWC-No.

**12.421.042.000FL**, chromeline,  
A 140, with pop-up valve  
**12.421.052.000FL**, chromeline,  
A 140, without pop-up valve  
**12.421.642.175FL**, brushed gold,  
A 140, with Push Open **NEW**  
**12.421.052.175FL**, brushed gold,  
A 140, without pop-up valve **NEW**  
**12.421.642.176FL**, matt black,  
A 140, with Push Open  
**12.421.052.176FL**, matt black,  
A 140, without pop-up valve  
**12.421.642.177FL**, brushed steel,  
A 140, with Push Open  
**12.421.052.177FL**, brushed steel,  
A 140, without pop-up valve  
**12.421.642.178FL**, brushed copper,  
A 140, with Push Open **NEW**  
**12.421.052.178FL**, brushed copper,  
A 140, without pop-up valve **NEW**  
**12.421.642.179FL**, brushed graphite,  
A 140, with Push Open **NEW**  
**12.421.052.179FL**, brushed graphite,  
A 140, without pop-up valve **NEW**

Flow rate 5 l/min (3 bar)



### Basin

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout  
- OptimalSpace

#### KWC-No.

**12.421.032.000FL**, chromeline,  
A 140, with pop-up valve  
**12.421.072.000FL**, chromeline,  
A 140, without pop-up valve

Flow rate 5 l/min (3 bar)



### Basin

Lever mixer  
for top-mounted basins  
- EcoProtect  
- fixed spout  
- OptimalSpace



#### KWC-No.

**12.421.093.000FL**, chromeline,  
A 195, without pop-up valve  
**12.421.093.175FL**, brushed gold,  
A 195, without pop-up valve **NEW**  
**12.421.093.176FL**, matt black,  
A 195, without pop-up valve  
**12.421.093.177FL**, brushed steel,  
A 195, without pop-up valve  
**12.421.093.178FL**, brushed copper,  
A 195, without pop-up valve **NEW**  
**12.421.093.179FL**, brushed graphite,  
A 195, without pop-up valve **NEW**

Flow rate 5 l/min (3 bar)



### Basin

Lever mixer  
- EcoProtect  
- Swivel spout 120°  
- OptimalSpace



#### KWC-No.

**12.421.132.000FL**, chromeline,  
A 160, with pop-up valve  
**12.421.142.000FL**, chromeline,  
A 160, without pop-up valve  
**12.421.652.175FL**, brushed gold,  
A 160, with Push Open **NEW**  
**12.421.142.175FL**, brushed gold,  
A 160, without pop-up valve **NEW**  
**12.421.652.176FL**, matt black,  
A 160, with Push Open  
**12.421.142.176FL**, matt black,  
A 160, without pop-up valve  
**12.421.652.177FL**, brushed steel,  
A 160, with Push Open  
**12.421.142.177FL**, brushed steel,  
A 160, without pop-up valve  
**12.421.652.178FL**, brushed copper,  
A 160, with Push Open **NEW**  
**12.421.142.178FL**, brushed copper,  
A 160, without pop-up valve **NEW**  
**12.421.652.179FL**, brushed graphite,  
A 160, with Push Open **NEW**  
**12.421.142.179FL**, brushed graphite,  
A 160, without pop-up valve **NEW**

Flow rate 5 l/min (3 bar)



### Basin

Lever mixer trim kit  
- EcoProtect  
- fixed spout  
- OptimalSpace



#### KWC-No.

**11.422.063.000**  
chromeline, A 175  
**11.422.064.000**  
chromeline, A 225  
**11.422.063.175**  
brushed gold, A 175 **NEW**  
**11.422.064.175**  
brushed gold, A 225 **NEW**  
**11.422.063.176**  
matt black, A 175  
**11.422.064.176**  
matt black, A 225  
**11.422.063.177**  
brushed steel, A 175  
**11.422.064.177**  
brushed steel, A 225  
**11.422.063.178** **NEW**  
brushed copper, A 175  
**11.422.064.178** **NEW**  
brushed copper, A 225  
**11.422.063.179** **NEW**  
brushed graphite, A 175  
**11.422.064.179** **NEW**  
brushed graphite, A 225

Flow rate 5 l/min (3 bar)



### Basin

Lever mixer trim kit  
- EcoProtect  
- fixed spout  
- OptimalSpace



#### KWC-No.

**11.422.033.000**  
chromeline, A 175  
**11.422.034.000**  
chromeline, A 225  
**11.422.033.175**  
brushed gold, A 175 **NEW**  
**11.422.034.175**  
brushed gold, A 225 **NEW**  
**11.422.033.176**  
matt black, A 175  
**11.422.034.176**  
matt black, A 225  
**11.422.033.177**  
brushed steel, A 175  
**11.422.034.177**  
brushed steel, A 225  
**11.422.033.178**  
brushed copper, A 175 **NEW**  
**11.422.034.178**  
brushed copper, A 225 **NEW**  
**11.422.033.179**  
brushed graphite, A 175 **NEW**  
**11.422.034.179**  
brushed graphite, A 225 **NEW**

Flow rate 5 l/min (3 bar)


**Bidet**

Lever mixer  
- EcoProtect  
- fixed spout

**KWC-No.**

**13.421.041.000FL**, chromeline,  
A 115, with pop-up valve  
**13.421.641.175FL**, matt black,  
A 115, with Push Open  
**13.421.641.176FL**, brushed gold,  
A 115, with Push Open **NEW**  
**13.421.641.177FL**, brushed steel,  
A 115, with Push Open  
**13.421.641.178FL**, brushed copper,  
A 115, with Push Open **NEW**  
**13.421.641.179FL**, brushed graphite,  
A 115, with Push Open **NEW**

Flow rate 5 l/min (3 bar)

**Tub**

Lever mixer  
for freestanding tub  
- fixed spout

**KWC-No.**

**20.421.093.000**, chromeline,  
A 215 with hand shower and hose  
**20.421.093.175**, brushed gold,  
A 215 with hand shower and hose **NEW**  
**20.421.093.176**, matt black,  
A 215 with hand shower and hose  
**20.421.093.177**, brushed steel,  
A 215 with hand shower and hose  
**20.421.093.178**, brushed copper,  
A 215 with hand shower and hose **NEW**  
**20.421.093.179**, brushed graphite,  
A 215 with hand shower and hose **NEW**


Flow rate 21 l/min (3 bar)

Spray outlet:

Flow rate 8.2 l/min (3 bar)

**Tub**

Lever mixer  
- fixed spout

**KWC-No.**

**20.422.333.000**, chromeline,  
AD 150±20 mm, A 175, without  
hand shower, hose and bracket  
**20.422.333.175**, brushed gold,  
AD 150±20 mm, A 175, without  
hand shower, hose and bracket **NEW**  
**20.422.333.176**, matt black,  
AD 150±20 mm, A 175, without  
hand shower, hose and bracket  
**20.422.333.177**, brushed steel,  
AD 150±20 mm, A 175, without  
hand shower, hose and bracket  
**20.422.333.178**, brushed copper,  
AD 150±20 mm, A 175, without  
hand shower, hose and bracket **NEW**  
**20.422.333.179**, brushed graphite,  
AD 150±20 mm, A 175, without  
hand shower, hose and bracket **NEW**

Flow rate 20 l/min (3 bar)

Spray outlet:

Flow rate 12 l/min (3 bar)

**Shower**

Lever mixer

**KWC-No.**

**21.422.330.000** chromeline,  
AD150±20,  
without hand shower and hose  
**21.422.330.175**  
brushed gold, AD150±20, without  
hand shower and hose **NEW**  
**21.422.330.176**  
matt black, AD150±20,  
without hand shower and hose  
**21.422.330.177**  
brushed steel, AD150±20,  
without hand shower and hose  
**21.422.330.178**  
brushed copper, AD150±20,  
without hand shower and hose **NEW**  
**21.422.330.179**  
brushed graphite, AD150±20,  
without hand shower and hose **NEW**

Spray outlet:

Flow rate 12 l/min (3 bar)



### Tub

Trim kit  
with function unit



#### KWC-No.

**20.424.500.000**, chromeline  
**20.424.510.000**, chromeline,  
with safety device  
**20.424.500.175**, brushed gold NEW  
**20.424.510.175**, brushed gold,  
with safety device NEW  
**20.424.500.176**, matt black  
**20.424.510.176**, matt black,  
with safety device  
**20.424.500.177**, brushed steel  
**20.424.510.177**, brushed steel,  
with safety device  
**20.424.500.178**, brushed copper NEW  
**20.424.510.178**, brushed copper,  
with safety device NEW  
**20.424.500.179**  
brushed graphite NEW  
**20.424.510.179**, brushed graphite,  
with safety device NEW

Flow rate 19 l/min (3 bar)



### Shower


Trim kit  
with function unit



#### KWC-No.

**21.424.500.000**  
chromeline  
**21.424.500.175**  
brushed gold NEW  
**21.424.500.176**  
matt black  
**21.424.500.177**  
brushed steel  
**21.424.500.178**  
brushed copper NEW  
**21.424.500.179**  
brushed graphite NEW

Flow rate 19 l/min (3 bar)



### Tub

Trim kit with  
function unit KWC HOMEBOX  
- Lever mixer



#### KWC-No.

**20.424.550.000**, chromeline,  
safety device DIN EN 1717  
**20.424.550.176**, matt black,  
safety device DIN EN 1717  
**20.424.550.177**, brushed steel,  
safety device DIN EN 1717

Flow rate 19.2 l/min (3 bar)  
 Spray outlet:  
 Flow rate 15.2 l/min (3 bar)



### Shower

Trim kit with  
function unit KWC HOMEBOX  
- Lever mixer



#### KWC-No.

**21.424.550.000**, chromeline,  
safety device DIN EN 1717  
**21.424.550.176**, matt black,  
safety device DIN EN 1717  
**21.424.550.177**, brushed steel,  
safety device DIN EN 1717

Flow rate 16 l/min (3 bar)

## **KWC** DOMO | 6.0

# Switzerland's most popular faucet quality redefined

Few design objects have managed to remain modern for almost 40 years, but the KWC DOMO, probably Switzerland's best-selling faucet, has done just that. And that is not where its story ends. This millionfold proven faucet has undergone careful design developments and been combined with cutting-edge technology to create the latest generation with an even wider range of products: KWC DOMO | 6.0.



Modern look, flawless feel, ergonomic design: the lever and cap form a single unit, eliminating the need for a slit on the top and ensuring the faucet is even more hygienic.







**Basin**

Lever mixer  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.668.041.000FL**, chromeline,  
A 125, with pop-up valve  
**12.668.051.000FL**, chromeline,  
A 125, without pop-up valve

Flow rate 4 l/min (3 bar)

**Basin**

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.668.031.000FL**, chromeline,  
A 125, with pop-up valve  
**12.668.071.000FL**, chromeline,  
A 125, without pop-up valve

Flow rate 4 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.668.042.000FL**, chromeline,  
A 150, with pop-up valve  
**12.668.052.000FL**, chromeline,  
A 150, without pop-up valve

Flow rate 4 l/min (3 bar)

**Basin**

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.668.032.000FL**, chromeline,  
A 150, with pop-up valve  
**12.668.072.000FL**, chromeline,  
A 150, without pop-up valve

Flow rate 4 l/min (3 bar)

**Basin**

Lever mixer  
For top-mounted basins  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.668.373.000FL** chromeline,  
A 170, without pop-up valve

Flow rate 4 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- Swivel spout 90°  
- OptimalSpace

**KWC-No.**

**12.668.011.000FL**, chromeline,  
A 150, with pop-up valve  
**12.668.021.000FL**, chromeline,  
A 150, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer low pressure  
- Swivel spout 90°  
- OptimalSpace

**KWC-No.**

**12.665.011.000FL**, chromeline,  
A 150, with pop-up valve  
**12.665.021.000FL**, chromeline,  
A 150, without pop-up valve

Flow rate 4.8 l/min (3 bar)




**Tub**

Lever mixer Trim kit  
 - EcoProtect  
 - fixed spout  
 - OptimalSpace

**KWC-No.**

**11.662.033.000** chromeline, A 175  
**11.662.034.000** chromeline, A 225

Flow rate 5 l/min (3 bar)

**Tub**

Lever mixer Trim kit  
 - EcoProtect  
 - Swivel spout 90°  
 - OptimalSpace

**KWC-No.**

**11.662.202.000** chromeline, A 175,  
 AD 153±8 mm  
**11.662.203.000** chromeline, A 225,  
 AD 153±8 mm

Flow rate 4 l/min (3 bar)


**Bidet**

Lever mixer  
 - fixed spout

**KWC-No.**

**13.661.041.000FL**, chromeline,  
 A 110, with pop-up valve

Flow rate 4 l/min (3 bar)


**Tub**

Lever mixer  
 for freestanding tub  
 - fixed spout

**KWC-No.**

**20.661.094.000**, chromeline,  
 A 250 with hand shower and hose


Flow rate 21 l/min (3 bar)  
 Spray outlet:  
 Flow rate 8.2 l/min (3 bar)



**Tub**  
Lever mixer  
- fixed spout

**KWC-No.**  
**20.662.333.000**, chromeline,  
AD 150±20 mm, A 160, without  
hand shower, hose and bracket

Flow rate 20 l/min (3 bar)  
Spray outlet:  
Flow rate 12 l/min (3 bar)



**Shower**  
Lever mixer

**KWC-No.**  
**21.662.330.000**, chromeline,  
AD 150±20 mm, A143,  
without hand shower and hose

Spray outlet:  
Flow rate 12 l/min (3 bar)



**Tub**  
Trim kit  
with function unit

**KWC-No.**  
**20.664.500.000**, chromeline  
**20.664.510.000**, chromeline,  
with safety device


Flow rate 19 l/min (3 bar)



**Shower**  
Trim kit  
with function unit

**KWC-No.**  
**21.664.500.000**, chromeline


Flow rate 19 l/min (3 bar)



**Tub**  
Trim kit with  
function unit KWC HOMEBOX

**KWC-No.**  
**20.664.550.000**, chromeline,  
safety device DIN EN 1717

Flow rate 19.2 l/min (3 bar)  
Spray outlet:  
Flow rate 15.2 l/min (3 bar)



**Shower**  
Trim kit with  
function unit KWC HOMEBOX

**KWC-No.**  
**21.664.550.000**, chromeline,  
safety device DIN EN 1717

Flow rate 16 l/min (3 bar)



**KWC** ELLA

# Go with the flow

Understated yet bold, refined yet daring – what may seem like a contradiction is actually the key to creating classic design. And KWC ELLA is just that: with its subtle curves, smooth angles, and clear contours, the line of faucets will be as modern tomorrow as it is today.



Restrained confidence: with its subtle, self-assured style, this faucet lends a special touch to every bathroom.



**Basin**

Lever mixer  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.381.041.000FL**, chromeline,  
A 110, with pop-up valve  
**12.381.051.000FL**, chromeline,  
A 110, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.381.031.000FL**, chromeline,  
A 110, with pop-up valve  
**12.381.071.000FL**, chromeline,  
A 110, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.381.043.000FL**, chromeline,  
A 140, with pop-up valve  
**12.381.053.000FL**, chromeline,  
A 140, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.381.033.000FL**, chromeline,  
A 140, with pop-up valve  
**12.381.073.000FL**, chromeline,  
A 140, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.381.042.000FL**, chromeline,  
A 150, with pop-up valve  
**12.381.052.000FL**, chromeline,  
A 150, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.381.032.000FL**, chromeline,  
A 150, with pop-up valve  
**12.381.072.000FL**, chromeline,  
A 150, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer for top-mounted basins  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.381.092.000FL**, chromeline,  
A 150, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer for top-mounted basins  
- CoolFix  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.381.102.000FL**, chromeline,  
A 150, without pop-up valve

Flow rate 5 l/min (3 bar)



### Basin

Lever mixer trim kit  
- fixed spout  
- OptimalSpace

#### KWC-No.

**11.382.033.000**

chromeline, A 175

**11.382.034.000**

chromeline, A 225

Flow rate 5 l/min (3 bar)



### Bidet

Lever mixer  
- EcoProtect  
- fixed spout

#### KWC-No.

**13.381.041.000FL**, chromeline,  
A 105, with pop-up valve

Flow rate 4.5 l/min (3 bar)



### Tub

Lever mixer  
- fixed spout


#### KWC-No.

**20.382.333.000**, chromeline,  
AD 150±20 mm, A 175, without  
hand shower, hose and bracket

Flow rate 20 l/min (3 bar)

Spray outlet:

Flow rate 15 l/min (3 bar)



### Shower


Lever mixer

#### KWC-No.

**21.382.330.000** chromeline,  
AD 150±20, without hand shower  
and hose

Spray outlet:

Flow rate 16 l/min (3 bar)



### Tub

Lever mixer  
- fixed spout  
- TouchProtect


#### KWC-No.

**20.382.483.000**, chromeline,  
AD 150±20 mm, A 175, without  
hand shower, hose and bracket

Flow rate 20 l/min (3 bar)

Spray outlet:

Flow rate 12 l/min (3 bar)



### Shower

Lever mixer  
- TouchProtect

#### KWC-No.

**21.382.480.000**, chromeline,  
AD 150±20 mm,  
without hand shower and hose

Spray outlet:

Flow rate 12.7 l/min (3 bar)



### Tub

Trim kit with function unit

#### KWC-No.

**20.384.502.000**, chromeline  
**20.384.512.000**, chromeline,  
with safety device

Flow rate 19 l/min (3 bar)




### Shower

Trim kit with function unit

#### KWC-No.

**21.384.502.000**  
chromeline

Flow rate 19 l/min (3 bar)



### Tub

Trim kit with  
function unit KWC HOMEBOX  
- Lever mixer


#### KWC-No.

**20.384.550.000**, chromeline,  
safety device DIN EN 1717

Flow rate 19.2 l/min (3 bar)

Spray outlet:

Flow rate 15.2 l/min (3 bar)



### Tub

Trim kit with  
function unit KWC HOMEBOX  
- Lever mixer

#### KWC-No.

**21.384.550.000**, chromeline,  
safety device DIN EN 1717

Flow rate 16 l/min (3 bar)

## KWC FIT

# Beauty without frills

You reach perfection when there is nothing else to leave out. KWC FIT – a faucet pared down to the essentials. Ingenious functionality, top-quality workmanship, refined details, a pleasant feel and an attractive price – not to mention the aesthetics that visually emphasize the art of simplicity.



Without any superfluous details, the essentials really come into their own – in terms of both appearance and experience. Take the gentle lever movement, which makes this faucet remarkably smooth to use.



**Basin**

Lever mixer  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.548.041.000FL**, chromeline,  
A 100, with pop-up valve  
**12.548.051.000FL**, chromeline,  
A 100, without pop-up valve

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout

**KWC-No.**

**12.548.031.000FL**, chromeline,  
A 100, with pop-up valve  
**12.548.631.176FL**, matt black,  
A 100, with Push Open

Flow rate 5 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.548.042.000FL**, chromeline,  
A 140, with pop-up valve  
**12.548.052.000FL**, chromeline,  
A 140, without pop-up valve

Flow rate 5 l/min (3 bar)


**Basin**

Lever mixer  
- CoolFix  
- EcoProtect  
- fixed spout  
- OptimalSpace

**KWC-No.**

**12.548.032.000FL**, chromeline,  
A 140, with pop-up valve  
**12.548.072.000FL**, chromeline,  
A 140, without pop-up valve  
**12.548.632.176FL**, matt black,  
A 140, with Push Open

Flow rate 5 l/min (3 bar)


**Bidet**

Lever mixer  
- fixed spout

**KWC-No.**

**13.541.041.000FL**, chromeline,  
A 130, with pop-up valve  
**13.541.641.176FL**, matt black,  
A 130, with Push Open

Flow rate 5 l/min (3 bar)

**Tub**

Lever mixer  
- fixed spout

**KWC-No.**

**20.542.332.000**, chromeline,  
AD 150±20 mm, A 175, without  
hand shower, hose and bracket  
**20.542.332.176**, matt black,  
AD 150±20 mm, A 175, without  
hand shower, hose and bracket

Flow rate 20 l/min (3 bar)

Spray outlet:

Flow rate 16 l/min (3 bar)

**Shower**

Lever mixer

**KWC-No.**

**21.542.330.000**, chromeline,  
AD 150±20 mm,  
without hand shower and hose  
**21.542.330.176**, matt black,  
AD 150±20 mm,  
without hand shower and hose

Flow rate 16 l/min (3 bar)

**Tub**

Trim kit with function unit

**KWC-No.**

**20.544.502.000**  
chromeline  
**20.544.512.000**, chromeline  
with safety device DIN EN 1717  
**20.544.502.176**  
matt black  
**20.544.512.176**, matt black  
with safety device DIN EN 1717

Flow rate 19 l/min (3 bar)


**Shower**

Trim kit with function unit

**KWC-No.**

**21.544.502.000**  
chromeline  
**21.544.502.176**  
matt black

Flow rate 19 l/min (3 bar)

**Tub**

Trim kit with  
function unit KWC HOMEBOX  
- Lever mixer

**KWC-No.**

**20.544.550.000**, chromeline,  
safety device DIN EN 1717  
**20.544.550.176**, matt black,  
safety device DIN EN 1717

Flow rate 19.2 l/min (3 bar)

Spray outlet:

Flow rate 15.2 l/min (3 bar)

**Shower**

Trim kit with  
function unit KWC HOMEBOX  
- Lever mixer

**KWC-No.**

**21.544.550.000**, chromeline,  
safety device DIN EN 1717  
**21.544.550.176**, matt black,  
safety device DIN EN 1717

Flow rate 16 l/min (3 bar)



**KWC** MONTA

# Sleek and modern

KWC MONTA is a timeless yet modern line of faucets with confident, bold design that fits perfectly in any bathroom. At the same time, KWC MONTA also features an array of ingenious features and attention to detail that turns the ordinary into something extraordinary. Offering intelligent functions, intuitive ease of use, and plenty of room for maneuver, with its functional highlights, KWC MONTA is truly the ultimate in practical luxury for your bathroom.



KWC MONTA – a true highlight for everyone who appreciates exceptional performance, ease of use, and sophisticated design.





**Basin**

- Lever mixer
- EcoProtect
- fixed spout
- OptimalSpace

**KWC-No.**

- 12.411.042.000FL**, chromeline, A 125, with pop-up valve
- 12.411.052.000FL**, chromeline, A 125, without pop-up valve

Flow rate 5 l/min (3 bar)



**Basin**

- Lever mixer
- CoolFix
- EcoProtect
- fixed spout
- OptimalSpace

**KWC-No.**

- 12.411.032.000FL**, chromeline, A 125, with pop-up valve
- 12.411.072.000FL**, chromeline, A 125, without pop-up valve

Flow rate 5 l/min (3 bar)



**Basin**

- Lever mixer
- EcoProtect
- fixed spout
- OptimalSpace

**KWC-No.**

- 12.411.043.000FL**, chromeline, A 145, with pop-up valve
- 12.411.053.000FL**, chromeline, A 145, without pop-up valve

Flow rate 5 l/min (3 bar)



**Basin**

- Lever mixer
- CoolFix
- EcoProtect
- fixed spout
- OptimalSpace

**KWC-No.**

- 12.411.033.000FL**, chromeline, A 145, with pop-up valve
- 12.411.073.000FL**, chromeline, A 145, without pop-up valve

Flow rate 5 l/min (3 bar)



**Basin**

- Lever mixer
- EcoProtect
- fixed spout
- OptimalSpace

**KWC-No.**

- 12.411.093.000FL**, chromeline, A 150, without pop-up valve

Flow rate 5 l/min (3 bar)




**Bidet**

- Lever mixer
- EcoProtect
- fixed spout

**KWC-No.**

- 13.411.041.000FL**, chromeline, A 120, with pop-up valve

Flow rate 5 l/min (3 bar)



**Tub**  
Lever mixer  
- fixed spout

**KWC-No.**

**20.412.333.000**  
AD 150±20 mm, A 175,  
without hand shower, hose and  
bracket

Flow rate 20 l/min (3 bar)  
Spray outlet:  
Flow rate 16 l/min (3 bar)



**Shower**  
Lever mixer

**KWC-No.**

**21.412.330.000**, chromeline,  
AD 150±20 mm,  
without hand shower and hose

Flow rate 16 l/min (3 bar)



**Tub**  
Trim kit with function unit

**KWC-No.**

**20.414.500.000**, chromeline  
**20.414.510.000**, chromeline,  
with safety device

Flow rate 19 l/min (3 bar)




**Shower**  
Trim kit with function unit

**KWC-No.**

**21.414.500.000**, chromeline

Flow rate 19 l/min (3 bar)



**Tub**  
Trim kit with function unit  
KWC HOMEBOX  
- Lever mixer

**KWC-No.**

**20.414.550.000**, chromeline,  
safety device DIN EN 1717

Flow rate 19.2 l/min (3 bar)  
Spray outlet:  
Flow rate 15.2 l/min (3 bar)



**Shower**  
Trim kit with function unit  
KWC HOMEBOX  
- Lever mixer

**KWC-No.**

**21.414.550.000**, chromeline,  
safety device DIN EN 1717

Flow rate 16 l/min (3 bar)

## KWC ONO E

# Pure stainless steel aesthetics

Clear lines, high quality materials, refined down to the last detail and a pleasure for all the senses: the quality of the design matches the quality of the construction. The KWC ONO E is made of pure stainless steel with a brushed or chrome-plated surface, which together ensure complete hygiene. The sleek design is complemented by the durable construction – a tap that adds a brilliant touch to any premium bathroom.



The KWC ONO E in stainless steel is already a design classic, and with a diameter of 35 mm, slimmer and more elegant than ever before. Whether with a chrome-plated or brushed finish, this is a stylish premium product from the KWC brand.









The cascade spout acts like a small waterfall in the bath. It is easy to clean. The design and mounting help to prevent unintentional impact with your body.



The aerator is adjustable and almost invisible. For cleaning, simply unscrew and descale separately. The characteristically tall, arched lever mixer provides great freedom of movement in the basin and sets visual highlights in the bathroom.



The KWC ONO E is a complete range with a variety of options for every application in the premium bathroom. Everything is exquisitely finished and seamlessly rounded. Quality and durability are absolutely top class thanks to the high-quality stainless steel.


**Basin**

- Lever mixer  
 - made of stainless steel  
 - fixed spout  
 - EcoProtect  
 - QuickInstallation

**KWC-No.**

- 12.578.041.000FL**, chromeline, A115, flexible connection hoses, with pop-up valve  
**12.578.051.000FL**, chromeline, A115, flexible connection hoses, without pop-up valve  
**12.578.041.700FL**, stainless steel, A115, flexible connection hoses, with pop-up valve  
**12.578.051.700FL**, stainless steel, A115, flexible connection hoses, without pop-up valve

Flow rate 4.3 l/min (3 bar)

**Basin**

- Lever mixer  
 - made of stainless steel  
 - fixed spout  
 - OptimalSpace  
 - EcoProtect  
 - QuickInstallation

**KWC-No.**

- 12.578.042.000FL**, chromeline, A135, flexible connection hoses, with pop-up valve  
**12.578.052.000FL**, chromeline, A135, flexible connection hoses, without pop-up valve  
**12.578.042.700FL**, stainless steel, A135, flexible connection hoses, with pop-up valve  
**12.578.052.700FL**, stainless steel, A135, flexible connection hoses, without pop-up valve

Flow rate 4.3 l/min (3 bar)

**Basin**

- Lever mixer  
 - made of stainless steel  
 - fixed spout  
 - OptimalSpace  
 - EcoProtect  
 - QuickInstallation

**KWC-No.**

- 12.578.093.000FL**, chromeline, A180, flexible connection hoses, without pop-up valve  
**12.578.093.700FL**, stainless steel, A180, flexible connection hoses, without pop-up valve

Flow rate 4.3 l/min (3 bar)

**Basin**

- Lever mixer  
 - made of stainless steel  
 - OptimalSpace  
 - EcoProtect  
 - QuickInstallation

**KWC-No.**

- 12.578.132.000FL**, chromeline, A160, flexible connection hoses, with pop-up valve  
**12.578.142.000FL**, chromeline, A160, flexible connection hoses, without pop-up valve  
**12.578.132.700FL**, stainless steel, A160, flexible connection hoses, with pop-up valve  
**12.578.142.700FL**, stainless steel, A160, flexible connection hoses, without pop-up valve

Flow rate 4.4 l/min (3 bar)


**Basin**

- Lever mixer  
 - made of stainless steel  
 - fixed spout  
 - OptimalSpace  
 - EcoProtect  
 - QuickInstallation

**KWC-No.**

- 12.578.671.000FL**, chromeline, A125, with Push Open  
**12.578.681.000FL**, chromeline, A125, without pop-up valve  
**12.578.671.700FL**, stainless steel, A125, with Push Open  
**12.578.681.700FL**, stainless steel, A125, without pop-up valve

Flow rate 4.5 l/min (3 bar)




### Basin

- Lever mixer
- made of stainless steel
- fixed spout
- OptimalSpace
- EcoProtect

#### KWC-No.

- 11.572.064.000**, chromeline, A225, trim kit
- 11.572.064.700**, stainless steel, A225, trim kit

Flow rate 5.2 l/min (3 bar)



### Basin

- Lever mixer, trim kit
- made of stainless steel
- fixed spout
- OptimalSpace
- EcoProtect

#### KWC-No.

- 11.571.031.000**, chromeline, A185, trim kit
- 11.571.031.700**, stainless steel, A225, trim kit

Flow rate 4.3 l/min (3 bar)




### Bidet

- Lever mixer
- made of stainless steel
- fixed spout
- EcoProtect
- QuickInstallation

#### KWC-No.

- 13.578.041.000FL**, chromeline, A115, flexible connection hoses, with pop-up valve
- 13.578.041.700FL**, stainless steel, A115, flexible connection hoses, with pop-up valve

Flow rate 4.1 l/min (3 bar)




### Tub

- Lever mixer for freestanding tub
- made of stainless steel
- fixed spout

#### KWC-No.

- 20.571.094.000**, chromeline, A 245, with hand shower, hose and bracket
- 20.571.094.700**, stainless steel, A 245, with hand shower, hose and bracket

Flow rate 21 l/min (3 bar)  
Spray outlet:  
Flow rate 8.2 l/min (3 bar)




### Tub

- Lever mixer
- made of stainless steel
- fixed spout

#### KWC-No.

- 20.572.480.000**, chromeline, AD 150±20, without hand shower, hose and bracket
- 20.572.480.700**, stainless steel, AD 150±20, without hand shower, hose and bracket

Flow rate 21 l/min (3 bar)  
Spray outlet:  
Flow rate 12.6 l/min (3 bar)




### Shower

- Lever mixer
- made of stainless steel

#### KWC-No.

- 21.572.480.000**, chromeline, AD 150±20, without hand shower and hose
- 21.572.480.700**, stainless steel, AD 150±20 mm, without hand shower and hose

Flow rate 17 l/min (3 bar)




### Tub spout

- Lever mixer
- made of stainless steel
- fixed spout

#### KWC-No.

- 26.578.044.000**, chromeline, A 205, G ½"
- 26.578.044.700**, stainless steel, A 205, G ½"

Flow rate 29 l/min (3 bar)



### Tub spout

- Lever mixer
- made of stainless steel
- fixed spout

#### KWC-No.

- 26.578.054.000**, chromeline, A 205, G ½"
- 26.578.054.700**, stainless steel, A 205, G ½"

Flow rate 29 l/min (3 bar)

**KWC** ORA

# Artistic elegance

The KWC ORA translates formal precision into a striking design language that elegantly integrates with the washbasin. It embodies lifestyle without compromising on function. The knob lever feels comfortable in your hand, while the aerator impresses with a practical detail: Its individually adjustable angle minimizes splashed water – regardless of the basin's shape or size.







### Basin

Lever mixer  
- fixed spout  
- EcoProtect  
- swivelling jet regulator



#### KWC-No.

**12.498.641.000FL**  
chromeline, A 115, flexible  
connection hoses, with Push Open

**12.498.051.000FL**  
chromeline, A 115,  
flexible connection hoses,  
without pop-up valve

**12.498.641.175FL** NEW  
brushed gold, A 115, flexible  
connection hoses, with Push Open

**12.498.051.175FL** NEW  
brushed gold, A 115,  
flexible connection hoses,  
without pop-up valve

**12.498.641.176FL** NEW  
matt black, A 115, flexible  
connection hoses, with Push Open

**12.498.051.176FL** NEW  
matt black, A 115,  
flexible connection hoses,  
without pop-up valve

**12.498.641.177FL** NEW  
brushed steel, flexible  
connection hoses, with Push Open

**12.498.051.177FL** NEW  
brushed steel, A 115,  
flexible connection hoses,  
without pop-up valve

**12.498.641.178FL** NEW  
brushed copper, flexible  
connection hoses, with Push Open

**12.498.051.178FL** NEW  
brushed copper, A 115,  
flexible connection hoses,  
without pop-up valve

**12.498.641.179FL** NEW  
brushed graphite, flexible  
connection hoses, with Push Open

**12.498.051.179FL** NEW  
brushed graphite, A 115,  
flexible connection hoses,  
without pop-up valve

Flow rate 4 l/min (3 bar)



### Basin

Lever mixer  
- fixed spout  
- EcoProtect  
- OptimalSpace  
- swivelling jet regulator



#### KWC-No.

**12.498.642.000FL**  
chromeline, A 115, flexible  
connection hoses, with Push Open

**12.498.052.000FL**  
chromeline, A 115,  
flexible connection hoses,  
without pop-up valve

**12.498.642.175FL** NEW  
brushed gold, A 115, flexible  
connection hoses, with Push Open

**12.498.052.175FL** NEW  
brushed gold, A 115,  
flexible connection hoses,  
without pop-up valve

**12.498.642.176FL** NEW  
matt black, A 115, flexible  
connection hoses, with Push Open

**12.498.052.176FL** NEW  
matt black, A 115,  
flexible connection hoses,  
without pop-up valve

**12.498.642.177FL** NEW  
brushed steel, flexible  
connection hoses, with Push Open

**12.498.052.177FL** NEW  
brushed steel, A 115,  
flexible connection hoses,  
without pop-up valve

**12.498.642.178FL** NEW  
brushed copper, flexible  
connection hoses, with Push Open

**12.498.052.178FL** NEW  
brushed copper, A 115,  
flexible connection hoses,  
without pop-up valve

**12.498.642.179FL** NEW  
brushed graphite, flexible  
connection hoses, with Push Open

**12.498.052.179FL** NEW  
brushed graphite, A 115,  
flexible connection hoses,  
without pop-up valve

Flow rate 4 l/min (3 bar)



### Basin

Lever mixer for top-mounted basins

- fixed spout
- EcoProtect
- OptimalSpace
- swivelling jet regulator

#### KWC-No.

**12.498.093.000FL**  
chromeline, A 180,  
flexible connection hoses,  
without pop-up valve

**12.498.093.175FL**  
brushed gold, A 180,  
flexible connection hoses,  
without pop-up valve

**12.498.093.176FL**  
matt black, A 180,  
flexible connection hoses,  
without pop-up valve

**12.498.093.177FL**  
brushed steel, A 180,  
flexible connection hoses,  
without pop-up valve

**12.498.093.178FL**  
brushed copper, A 180,  
flexible connection hoses,  
without pop-up valve

**12.498.093.179FL**  
brushed graphite, A 180,  
flexible connection hoses,  
without pop-up valve

Flow rate 4 l/min (3 bar)



### Basin

Two-handle mixer

- fixed spout
- 3-hole
- EcoProtect
- OptimalSpace
- swivelling jet regulator

#### KWC-No.

**12.493.651.000FL**  
chromeline, A 140,  
flexible connection hoses,  
with Push Open

**12.493.651.175FL**  
brushed gold, A 140,  
flexible connection hoses,  
with Push Open


**12.493.651.176FL**  
matt black, A 140,  
flexible connection hoses,  
with Push Open

**12.493.651.177FL**  
brushed steel, A 140,  
flexible connection hoses,  
with Push Open

**12.493.651.178FL**  
brushed copper, A 140,  
flexible connection hoses,  
with Push Open

**12.493.651.179FL**  
brushed graphite, A 140,  
flexible connection hoses,  
with Push Open

Flow rate 4 l/min (3 bar)



### Basin

- Lever mixer
- fixed spout
  - OptimalSpace
  - swivelling jet regulator

#### KWC-No.

**11.492.064.000**  
chromeline,  
A 225, trim kit

**11.492.064.175**  
brushed gold,  
A 225, trim kit


**11.492.064.176**  
matt black,  
A 225, trim kit

**11.492.064.177**  
brushed steel,  
A 225, trim kit

**11.492.064.178**  
brushed copper,  
A 225, trim kit

**11.492.064.179**  
brushed graphite,  
A 225, trim kit

Flow rate 4,7 l/min (3 bar)



### Bidet

- Lever mixer
- fixed spout

#### KWC-No.

**13.491.064.000FL**  
chromeline, A 110,  
with Push Open

**13.491.064.175FL**  
brushed gold, A 110,  
with Push Open

**13.491.064.176FL**  
matt black, A 110,  
with Push Open


**13.491.064.177FL**  
brushed steel, A 110,  
with Push Open

**13.491.064.178FL**  
brushed copper, A 110,  
with Push Open

**13.491.064.179FL**  
brushed graphite, A 110,  
with Push Open

Flow rate 4.8 l/min (3 bar)






### Tub

- Lever mixer
- Diverter with automatic reset
  - Intrinsicly safe against backflow
  - Rotatable spout 60°

#### KWC-No.

- 20.492.440.000**, chromeline, AD 150±20 mm, without hand shower, hose and bracket
- 20.492.440.175**, brushed gold, AD 150±20 mm, without hand shower, hose and bracket
- 20.492.440.176**, matt black, AD 150±20 mm, without hand shower, hose and bracket
- 20.492.440.177**, brushed steel, AD 150±20 mm, without hand shower, hose and bracket
- 20.492.440.178**, brushed copper, AD 150±20 mm, without hand shower, hose and bracket
- 20.492.440.179**, brushed graphite, AD 150±20 mm, without hand shower, hose and bracket

Flow rate 20 l/min (3 bar)  
 Spray outlet:  
 Flow rate 12 l/min (3 bar)




### Shower

- Lever mixer
- TouchProtect
  - Intrinsicly safe against backflow

#### KWC-No.

- 21.492.480.000**, chromeline, AD 150±20 mm, without hand shower and hose
- 21.492.480.175**, brushed gold, AD 150±20 mm, without hand shower and hose
- 21.492.480.176**, matt black, AD 150±20 mm, without hand shower and hose
- 21.492.480.177**, brushed steel, AD 150±20 mm, without hand shower and hose
- 21.492.480.178**, brushed copper, AD 150±20 mm, without hand shower and hose
- 21.492.480.179**, brushed graphite, AD 150±20 mm, without hand shower and hose

Flow rate 12.7 l/min (3 bar)



### Tub

- Lever mixer  
 for freestanding tub
- Integrated check valve in the hose outlet
  - with shower holder
  - Diverter with automatic reset

#### KWC-No.

- 20.491.093.000**, chromeline, A230 with shower and hose
- 20.491.093.175**, brushed gold, A230 with shower and hose
- 20.491.093.176**, matt black, A230 with shower and hose
- 20.491.093.177**, brushed steel, A230 with shower and hose
- 20.491.093.178**, brushed copper, A230 with shower and hose
- 20.491.093.179**, brushed graphite, A230 with shower and hose

Flow rate 22 l/min (3 bar)  
 Spray outlet:  
 Flow rate 11.5 l/min (3 bar)





## KWC VITA 2.0

# Exemplary durability

This special tap has been specifically developed for people with motor and sensory limitations. It's perfect wherever user-friendliness, sturdiness and good ergonomics are required. The design of the KWC VITA 2.0 allows for simple cleaning. This guarantees a high level of hygiene and long service life even with intensive use.



The hot and cold water markings are extra large and easy to read. The long lever is particularly straightforward to operate without much force. The curved shape makes cleaning easy. There are no recesses on the lever, no joints and no escutcheon. This helps prevent dirt from accumulating. The Neoperl Perlator with metal sleeve generates a hygienic laminar stream without drawing in any ambient air. It also minimises water and energy consumption.



**Basin**


Lever mixer  
- EcoProtect  
- fixed spout  
- QuickInstallation

**KWC-No.**

**12.518.041.000FL**, chromeline,  
A 115, flexible connection hoses,  
with pop-up valve

**12.518.051.000FL**, chromeline,  
A 115, flexible connection hoses,  
without pop-up valve

Flow rate 5.8 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- fixed spout  
- QuickInstallation

**KWC-No.**

**12.518.042.000FL**, chromeline,  
A 140, flexible connection hoses,  
with pop-up valve

**12.518.052.000FL**, chromeline,  
A 140, flexible connection hoses,  
without pop-up valve

Flow rate 5.8 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- Swivel spout 90°  
- OptimalSpace

**KWC-No.**

**11.512.102.000**, chromeline,  
153±8 mm, A 175

**11.512.103.000**, chromeline,  
153±8 mm, A 225

Flow rate 5.8 l/min (3 bar)

**Tub**

Lever mixer  
- fixed spout

**KWC-No.**

**20.512.333.000**, chromeline,  
153±8 mm, A 195, without hand  
shower, hose and bracket

Flow rate 20.4 l/min (3 bar)

Spray outlet:  
Flow rate 12.6 l/min (3 bar)

**Shower**

Lever mixer

**KWC-No.**

**21.512.330.000**, chromeline,  
153±8 mm

Spray outlet:  
Flow rate 12.6 l/min (3 bar)



## **KWC** VITA PRO 2.0

# For special demands

The KWC VITA PRO 2.0 is perfect for exceptionally high day-to-day demands. The stable bar lever on the tap is extraordinarily robust. It's very comfortable in the hand, and can also be used with the elbow or forearm. The bar lever can be shortened as required and fitted at 180 degrees if desired. The KWC VITA PRO 2.0 is easy to clean, and stands out thanks to its hygienic technologies.

Thanks to its non-slip surface, the extra-long, ergonomic lever is easy to operate with little effort, whether by hand, elbow or forearm. The Neoperl® Perlator with metal sleeve generates a hygienic laminar stream without drawing in any ambient air. It also minimises water and energy consumption.





**Basin**

Lever mixer  
- EcoProtect  
- fixed spout  
- QuickInstallation

**KWC-No.**

**12.528.041.000FL**, chromeline,  
A 125, flexible connection hoses,  
with pop-up valve

**12.528.051.000FL**, chromeline,  
A 125, flexible connection hoses,  
without pop-up valve

Flow rate 5.8 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- fixed spout  
- QuickInstallation

**KWC-No.**

**12.528.042.000FL**, chromeline,  
A 150, flexible connection hoses,  
with pop-up valve

**12.528.052.000FL**, chromeline,  
A 150, flexible connection hoses,  
without pop-up valve

Flow rate 5.8 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- fixed spout  
- QuickInstallation

**KWC-No.**

**12.528.042.000LLFL**, chromeline,  
A 150, flexible connection hoses,  
with pop-up valve

**12.528.052.000LLFL**, chromeline,  
A 150, flexible connection hoses,  
without pop-up valve

Flow rate 5.8 l/min (3 bar)

**Basin**


Lever mixer  
- EcoProtect  
- Swivel spout 90°  
- OptimalSpace

**KWC-No.**

**11.522.092.000LL**, chromeline,  
AD 153, A 190

**11.522.093.000LL**, chromeline,  
AD 153, A 240

Flow rate 5.8 l/min (3 bar)

**Basin**

Lever mixer  
- EcoProtect  
- Swivel spout 90°  
- OptimalSpace

**KWC-No.**

**11.522.002.000**, chromeline,  
153±8 mm, A 175

**11.522.203.000**, chromeline,  
153±8 mm, A 225,

Flow rate 5.8 l/min (3 bar)



### Tub

Lever mixer  
- fixed spout

#### KWC-No.

**20.522.333.000**, chromeline,  
AD 150±20, A 180, without hand  
shower, hose and bracket

Flow rate 20.4 l/min (3 bar)

Spray outlet:

Flow rate 12.6 l/min (3 bar)



### Shower

Lever mixer

#### KWC-No.

**21.522.330.000**, chromeline,  
AD 150±20, without hand shower  
and hose

Flow rate 16.5 l/min (3 bar)




### Shower

Trim kit with function unit

#### KWC-No.

**21.524.500.000**  
chromeline, trim kit

Flow rate 18 l/min (3 bar)



### Tub

Thermostatic mixer  
- EcoProtect  
- TouchProtect  
- SkinProtect


#### KWC-No.

**26.529.930.000**, chromeline,  
A190, AD 150±20, without hand  
shower, hose and bracket

Flow rate 20 l/min (3 bar)

Spray outlet:

Flow rate 13 l/min (3 bar)



### Shower

Thermostatic mixer  
- EcoProtect  
- TouchProtect  
- SkinProtect

#### KWC-No.

**26.529.830.000**, chromeline,  
AD150±20,  
without hand shower, hose and  
bracket

Flow rate 13 l/min (3 bar)

## **KWC** WAMAS 2.0

# A sturdy all-rounder

As a new development of a previous model, the KWC WAMAS 2.0 is more streamlined and slightly taller than its predecessor. With the conical body, its design is impressive while remaining simple and functional. The spout and lever are slightly arched in shape. This allows for a smooth water flow, keeps the components clean for a long time and ensures easy cleaning. The material also guarantees the tap's long service life. The KWC WAMAS 2.0 always keeps pace with the times in terms of its look and feel.

The curved shape makes cleaning easy. There are no recesses on the lever, no joints and no escutcheon. This helps prevent dirt from accumulating. The adjustable aerator with metal sleeve keeps water consumption and spray to a minimum.





**Basin**

Lever mixer  
- fixed spout  
- EcoProtect  
- swivelling jet regulator

**KWC-No.**

**12.478.041.000FL**, chromeline,  
A 115, flexible connection hoses,  
with pop-up valve  
**12.478.051.000FL**, chromeline,  
A 115, flexible connection hoses,  
without pop-up valve  
**12.478.041.000FLGE**, chromeline,  
A 115, flexible connection hoses,  
without pop-up valve, with bar

Flow rate 5 l/min (3 bar)


**Basin**

Lever mixer  
- CoolFix  
- fixed spout  
- EcoProtect  
- swivelling jet regulator

**KWC-No.**

**12.478.031.000FL**, chromeline,  
A 115, flexible connection hoses,  
with pop-up valve  
**12.478.071.000FL**, chromeline,  
A 115, flexible connection hoses,  
without pop-up valve  
**12.478.031.000FLGE**, chromeline,  
A 115, flexible connection hoses,  
without pop-up valve, with bar

Flow rate 5 l/min (3 bar)


**Basin**

Lever mixer  
- fixed spout  
- EcoProtect  
- swivelling jet regulator

**KWC-No.**

**12.478.042.000FL**, chromeline,  
A 140, flexible connection hoses,  
with pop-up valve  
**12.478.052.000FL**, chromeline,  
A 140, flexible connection hoses,  
without pop-up valve  
**12.478.042.000FLGE**, chromeline,  
A 140, flexible connection hoses,  
without pop-up valve, with bar

Flow rate 5 l/min (3 bar)


**Basin**

Lever mixer  
- CoolFix  
- fixed spout  
- EcoProtect  
- swivelling jet regulator

**KWC-No.**

**12.478.032.000FL**, chromeline,  
A 140, flexible connection hoses,  
with pop-up valve  
**12.478.072.000FL**, chromeline,  
A 140, flexible connection hoses,  
without pop-up valve  
**12.478.032.000FLGE**, chromeline,  
A 140, flexible connection hoses,  
without pop-up valve, with bar

Flow rate 5 l/min (3 bar)

**Bidet**

Lever mixer  
- fixed spout  
- EcoProtect

**KWC-No.**

**13.478.041.000FL**  
chromeline, A 110,  
flexible connection hoses,  
with pop-up valve

Flow rate 4.8l/min (3 bar)


**Tub**

Lever mixer  
 - fixed spout  
 - Diverter with automatic reset  
 - Intrinsicly safe against backflow

**KWC-No.**

**20.472.333.000**, chromeline,  
 A 195, AD 150±20 mm, without  
 hand shower, hose and bracket

Flow rate 20 l/min (3bar)  
 Spray outlet:  
 Flow rate 14.8 l/min (3bar)

**Shower**

Lever mixer  
 - Intrinsicly safe against backflow

**KWC-No.**

**21.472.330.000**, chromeline,  
 AD 150±20 mm, without hand  
 shower and hose

Flow rate 16.3 l/min (3bar)

**Tub**

Lever mixer  
 - fixed spout

**KWC-No.**

**20.474.500.000**, chromeline,  
 trim kit  
**20.474.510.000**, chromeline,  
 trim kit, with safety device  
 DIN EN 1717

Flow rate 19 l/min (3bar)


**Shower**

Lever mixer

**KWC-No.**

**21.474.500.000**, chromeline,  
 trim kit

Flow rate 19 l/min (3bar)

**Tub**

Trim kit with  
 Function unit KWC HOMEBOX  
 - Lever mixer

**KWC-No.**

**20.474.550.000**  
 chromeline

Flow rate 19.2 l/min (3bar)  
 Spray outlet:  
 Flow rate 15.2 l/min (3bar)

**Shower**

Trim kit with  
 Function unit KWC HOMEBOX  
 - Lever mixer

**KWC-No.**

**21.474.550.000**  
 chromeline

Flow rate 16 l/min (3bar)

## KWC ZOE

# The epitome of elegance

KWC ZOE adds a touch of sophisticated glamour to your bathroom. This elegant innovation is reminiscent of a fountain – not just in terms of its stunning shape, but also thanks to its cutting-edge technology. With its sculptural style, it symbolizes the purity of a natural spring and brings a touch of minimalist splendor into your bathroom. KWC ZOE is equally at home in upmarket private residences as it is in hotels and restaurants.



KWC ZOE truly proves its worth in households where small children are around. Cold water flows when the lever is pointing forward and mixed water runs when it is in the central position, keeping guests of all ages safe from scalding in the bathroom.



**Basin**

- Two-handle mixer
- 3-hole
- EcoProtect
- Swivel spout 90°
- OptimalSpace

**KWC-No.****12.203.151.000FL**chromeline, A 150,  
with pop-up valve**12.203.161.000FL**chromeline, A 150,  
without pop-up valve

Flow rate 6 l/min (3 bar)

**Basin**

- Lever mixer
- EcoProtect
- Swivel spout 90°
- OptimalSpace

**KWC-No.****12.208.131.000FL**chromeline, A 150,  
with pop-up valve**12.208.141.000FL**chromeline, A 150,  
without pop-up valve

Flow rate 6 l/min (3 bar)

**Basin**

- Lever mixer trim kit
- fixed spout
- OptimalSpace

**KWC-No.****11.202.033.000**

chromeline, A 175

**11.202.034.000**

chromeline, A 225


Flow rate 5 l/min (3 bar)

**Bidet**

- Lever mixer
- fixed spout

**KWC-No.****13.201.041.000FL**chromeline, A 100,  
with pop-up valve

Flow rate 4.5 l/min (3 bar)

**Tub**

- Lever mixer  
for freestanding tub
- fixed spout

**KWC-No.****20.201.093.000**chromeline, A 215,  
with hand shower and hose

Flow rate 21 l/min (3 bar)

Spray outlet:

Flow rate 8.2 l/min (3 bar)

**Tub**

- Trim kit with function unit


**KWC-No.****20.204.500.000**

chromeline

**20.204.510.000**

chromeline, with safety device

Flow rate 19 l/min (3 bar)

**Shower**

- Trim kit with function unit

**KWC-No.****21.204.500.000**

chromeline

Flow rate 19 l/min (3 bar)



# KWC Stainless steel basin

## Seamless elegance

Whether round or rectangular, the stainless-steel washbasin options from KWC impress with precise radii and edges. The durable material enables effortless, hygienic cleaning and a special coating reduces the appearance of fingerprints perfect – for everyday use. The special brushed finish on the material clearly stands out from conventional surfaces and harmonises perfectly with the stainless-steel lines KWC ONO E and KWC AVA E. Beautifully sophisticated, yet also environmentally sound: at the end of its long life cycle, the washbasin is fully recyclable.

### Stainless steel basin style

- Countertop sink  
- without overflow




#### KWC-Nr.

**80.002.100.700**  
Stainless steel, D400  
**80.002.100.775**  
brushed gold, D400  
**80.002.100.776**  
matt black, D400  
**80.002.100.778**  
brushed copper, D400  
**80.002.100.779**  
brushed graphite, D400



### Stainless steel basin design

- Countertop sink  
- without overflow




#### KWC-Nr.

**80.002.120.700**  
Stainless steel, 400x400  
**80.002.120.775**  
brushed gold, 400x400  
**80.002.120.776**  
matt black, 400x400  
**80.002.120.778**  
brushed copper, 400x400  
**80.002.120.779**  
brushed graphite, 400x400



### Stainless steel basin design

- Countertop sink  
- without overflow



#### KWC-Nr.


**80.002.130.700**  
Stainless steel, 400x600  
**80.002.130.775**  
brushed gold, 400x600  
**80.002.130.776**  
matt black, 400x600  
**80.002.130.778**  
brushed copper, 400x600  
**80.002.130.779**  
brushed graphite, 400x600



**NEW**


### Stainless steel basin design

- Countertop sink  
- without overflow



#### KWC-Nr.


**80.002.140.700**  
Stainless steel, 280x450  
**80.002.140.775**  
brushed gold, 280x450  
**80.002.140.776**  
matt black, 280x450  
**80.002.140.778**  
brushed copper, 280x450  
**80.002.140.779**  
brushed graphite, 280x450





# ShowerCulture

Showering is a product of our culture. Harnessing the power of water and using it to increase our well-being is something that makes our everyday lives easier and more pleasant. But there is more to showering than meets the eye. KWC takes things a step further – ShowerCulture makes showering an experience tailored to individual preferences, from invigorating to relaxing. Showering with all the senses is one of life's simplest yet purest pleasures.



### Shower system style



Thermostatic mixer  
- EcoProtect  
- TouchProtect  
- SkinProtect

#### KWC-No.

**26.006.333.000**  
chromeline, AD150±20, A 400,  
with hand shower and hose

**26.006.333.175**  
brushed gold, AD150±20, A 400,  
with hand shower and hose


**26.006.333.176**  
matt black, AD150±20, A 400,  
with hand shower and hose

**26.006.333.177**  
brushed steel, AD150±20, A 400,  
with hand shower and hose

**26.006.333.178**  
brushed copper, AD150±20, A 400,  
with hand shower and hose

**26.006.333.178**  
brushed graphite, AD150±20, A 400,  
with hand shower and hose

Flow rate 17.8 l/min (3bar)  
Spray outlet:  
Flow rate 11.3 l/min (3bar)



### Shower system design



Thermostatic mixer  
- EcoProtect  
- TouchProtect  
- SkinProtect

#### KWC-No.

**26.006.373.000**  
chromeline, AD150±20, A 400,  
with hand shower and hose

**26.006.373.175**  
brushed gold, AD150±20, A 400,  
with hand shower and hose

**26.006.373.176**  
matt black, AD150±20, A 400,  
with hand shower and hose

**26.006.373.177**  
brushed steel, AD150±20, A 400,  
with hand shower and hose

**26.006.373.178**  
brushed copper, AD150±20, A 400,  
with hand shower and hose

**26.006.373.179**  
brushed graphite, AD150±20, A 400,  
with hand shower and hose

Flow rate 17.8 l/min (3bar)  
Spray outlet:  
Flow rate 11.3 l/min (3bar)




### Shower system choice

Thermostatic mixer  
- SkinProtect

#### KWC-No.

**26.006.614.000**  
chromeline, AD 150±20 mm,  
A 400

Flow rate 17 l/min (3bar)  
Spray outlet:  
Flow rate 11.5 l/min (3bar)




### Shower system fit

Thermostatic mixer  
- SkinProtect

#### KWC-No.

**26.006.313.000**  
chromeline, AD 150±20 mm, A 300  
with hand shower and hose

Flow rate 17 l/min (3bar)  
Spray outlet:  
Flow rate 11.5 l/min (3bar)




### Shower system Modification set fit

- TouchProtect  
- SkinProtect

#### KWC-No.

**26.006.013.000**  
chromeline, A 300  
with hand shower and hose


**Shower/Tub**

Trim kit with thermostat  
Function unit KWC HOMEBOX

**KWC-No.**

**20.004.853.000**, chromeline,  
Safety device DIN EN 1717  
**20.004.853.176**, matt black,  
Safety device DIN EN 1717  
**20.004.853.177**, brushed steel,  
Safety device DIN EN 1717

Flow rate 19.5 l/min (3bar)  
Spray outlet:  
Flow rate 14 l/min (3bar)

**Shower**

Trim kit with thermostat  
Function unit KWC HOMEBOX

**KWC-No.**

**21.004.853.000**, chromeline,  
Safety device DIN EN 1717  
**21.004.853.176**, matt black,  
Safety device DIN EN 1717  
**21.004.853.177**, brushed steel,  
Safety device DIN EN 1717

Flow rate 15 l/min (3bar)

**Shower/Tub**

Trim kit with thermostat  
- SkinProtect

**KWC-No.**

**20.004.802.000**, chromeline,  
**20.004.812.000**, chromeline,  
Safety device DIN EN 1717  
**20.004.802.175**, brushed gold **NEW**  
**20.004.812.175**, brushed gold, **NEW**  
Safety device DIN EN 1717  
**20.004.802.176**, matt black  
**20.004.812.176**, matt black,  
Safety device DIN EN 1717  
**20.004.802.177**, brushed steel,  
**20.004.812.177**, brushed steel,  
Safety device DIN EN 1717  
**20.004.802.178**, brushed copper **NEW**  
**20.004.812.178**, brushed copper, **NEW**  
Safety device DIN EN 1717  
**20.004.802.179**, brushed graphite **NEW**  
**20.004.812.179**, brushed graphite, **NEW**  
Safety device DIN EN 1717

Flow rate 19 l/min (3 bar)


**Shower**

Trim kit with thermostat  
- SkinProtect

**KWC-No.**

**21.004.802.000**, chromeline,  
**21.004.802.175**, brushed gold **NEW**  
**21.004.802.176**, matt black  
**21.004.802.177**, brushed steel  
**21.004.802.178**, brushed copper **NEW**  
**21.004.802.179**, brushed graphite **NEW**

Flow rate 19 l/min (3 bar)




### Shower/Tub

Trim kit with Thermostat  
- SkinProtect

#### KWC-No.

**20.004.801.000**, chromeline  
**20.004.811.000**, chromeline,  
 Safety device DIN EN 1717  
**20.004.801.175**, brushed gold NEW  
**20.004.811.175**, brushed gold,  
 Safety device DIN EN 1717 NEW  
**20.004.801.176**, matt black  
**20.004.811.176**, matt black,  
 Safety device DIN EN 1717  
**20.004.801.177**, brushed steel  
**20.004.811.177**, brushed steel,  
 Safety device DIN EN 1717  
**20.004.801.178**, brushed copper NEW  
**20.004.811.178**, brushed copper,  
 Safety device DIN EN 1717 NEW  
**20.004.801.179**, brushed graphite NEW  
**20.004.811.179**, brushed graphite NEW  
 Safety device DIN EN 1717

Flow rate 19 l/min (3 bar)




### Shower

Trim kit with Thermostat  
- SkinProtect

#### KWC-No.

**21.004.801.000**, chromeline  
**21.004.801.175**, brushed gold NEW  
**21.004.801.176**, matt black  
**21.004.801.177**, brushed steel  
**21.004.801.178**, brushed copper NEW  
**21.004.801.179**, brushed graphite NEW

Flow rate 19 l/min (3 bar)



### Tub

Thermostatic mixer fit  
- SkinProtect


#### KWC-No.

**26.009.433.000**, chromeline,  
 AD 150±20 mm, A 150,  
 without hand shower and hose

Flow rate 20 l/min (3bar)

Spray outlet:

Flow rate 13 l/min (3bar)




### Shower

Thermostatic mixer fit  
- SkinProtect

#### KWC-No.

**26.009.030.000**, chromeline,  
 AD 150±20 mm,  
 without hand shower and hose

Flow rate 16 l/min (3bar)

**Tub**

Thermostatic mixer style

- fixed spout
- EcoProtect
- TouchProtect
- SkinProtect

**KWC-No.**

**26.009.533.000**, chromeline, AD 150±20, A 180, without hand shower, hose and bracket

**26.009.533.175**, brushed gold, AD 150±20, A 180, without hand shower, hose and bracket NEW

**26.009.533.176**, matt black, AD 150±20, A 180, without hand shower, hose and bracket

**26.009.533.177**, brushed steel, AD 150±20, A 195, without hand shower, hose and bracket

**26.009.533.178**, brushed copper, AD 150±20, A 180, without hand shower, hose and bracket NEW


**26.009.533.179**, brushed graphite, AD 150±20, A 180, without hand shower, hose and bracket NEW

AD 150±20, A 180, without hand shower, hose and bracket

Flow rate 20 l/min (3bar)

Spray outlet:

Flow rate 13 l/min (3bar)

**Shower**

Thermostatic mixer style

- EcoProtect
- TouchProtect
- SkinProtect

**KWC-No.**

**26.009.130.000**, chromeline, AD 150±20, without hand shower and hose

**26.009.130.175**, brushed gold, AD 150±20, without hand shower and hose NEW

**26.009.130.176**, matt black, AD 150±20, without hand shower and hose


**26.009.130.177**, brushed steel, AD 150±20, without hand shower and hose

**26.009.130.178**, brushed copper, AD 150±20, without hand shower and hose NEW

**26.009.130.179**, brushed graphite, AD 150±20, without hand shower and hose NEW

AD 150±20, without hand shower and hose

Flow rate 13 l/min (3bar)

**Tub**

Thermostatic mixer design

- fixed spout
- EcoProtect
- TouchProtect
- SkinProtect

**KWC-No.**

**26.009.733.000**, chromeline, AD 150±20, A 180, without hand shower, hose and bracket

**26.009.733.175**, brushed gold, AD 150±20, A 180, without hand shower, hose and bracket NEW

**26.009.733.176**, matt black, AD 150±20, A 180, without hand shower, hose and bracket

**26.009.733.177**, brushed steel, AD 150±20, A 180, without hand shower, hose and bracket

**26.009.733.178**, brushed copper, AD 150±20, A 180, without hand shower, hose and bracket NEW

**26.009.733.179**, brushed graphite, AD 150±20, A 180, without hand shower, hose and bracket NEW


AD 150±20, A 180, without hand shower, hose and bracket

AD 150±20, A 180, without hand shower, hose and bracket

Flow rate 20 l/min (3bar)

Spray outlet:

Flow rate 13 l/min (3bar)

**Shower**

Thermostatic mixer choice

- EcoProtect
- TouchProtect
- SkinProtect

**KWC-No.**

**26.009.220.000**, chromeline, AD 150±20 mm, without hand shower, hose and bracket

Flow rate 13 l/min (3bar)





**Hand shower**

**CHOICE-G**

- TouchProtect
- Spray
- Swirl spray
- Mix spray

**KWC-No.**

**26.000.125.000**

chromeline

**26.000.125.175**

brushed gold

**26.000.125.176**

matt black

**26.000.125.177**

brushed steel


**26.000.125.178**

brushed copper

**26.000.125.179**

brushed graphite

Flow rate 11 l/min (3 bar)



**Hand shower**

**CHOICE-H**

- TouchProtect
- Spray
- Swirl spray
- Mix spray

**KWC-No.**

**26.000.126.000**

chromeline

**26.000.126.175**

brushed gold

**26.000.126.176**

matt black

**26.000.126.177**

brushed steel

**26.000.126.178**

brushed copper

**26.000.126.179**

brushed graphite

Flow rate 11 l/min (3 bar)



**Hand shower**

**KWC FIT-E trio**

- TouchProtect
- Spray
- Massage Spray
- Mix Spray

**KWC-No.**

**26.000.132.000**

chromeline

Flow rate 12 l/min (3 bar)



**Hand shower**

**KWC FIT-E eco**

- TouchProtect
- ecojet

**KWC-No.**

**26.000.131.000**

chromeline

**26.000.131.175**

brushed gold

**26.000.131.176**

matt black

**26.000.131.177**

brushed steel

**26.000.131.178**

brushed copper

**26.000.131.179**

brushed graphite

Flow rate 6 l/min (3 bar)






### Hand shower KWC FIT-S

- TouchProtect  
- fitjet

**KWC-No.**

**26.000.113.000**  
chromeline

Flow rate 12 l/min (3 bar)




### Hand shower KWC FIT-E easy

- TouchProtect  
- fitjet

**KWC-No.**

**26.000.133.000**  
chromeline

Flow rate 12 l/min (3 bar)



### Baton shower KWC FIT-X slim

- TouchProtect  
- fitjet

**KWC-No.**

**26.000.103.000**

chromeline

**26.000.103.175**

brushed gold

**26.000.103.176**

matt black

**26.000.103.177**

brushed steel

**26.000.103.178**

brushed copper

**26.000.103.179**

brushed graphite

Flow rate 8 l/min (3 bar)



NEW

NEW

NEW




### Hand shower KWC FIT

**KWC-No.**

**Z.200.109.000**

chromeline

Flow rate 22 l/min (3 bar)




**Shower head  
KWC PIATTO-X Q**

- spajet

**KWC-No.**

- 26.000.204.000**  
chromeline, 250 × 250 mm
- 26.000.205.000**  
chromeline, 300 × 300 mm
- 26.000.206.000**  
chromeline, 400 × 400 mm

Flow rate 18 l/min (3 bar)




**Shower head  
KWC PIATTO-X Q**

- spajet

**KWC-No.**

- 26.000.205.000**  
chromeline, 300 × 300 mm
- 26.000.205.700**  
Edelstahl, 300 × 300 mm
- 26.000.205.775** NEW  
brushed gold, 300 × 300 mm
- 26.000.205.776**  
matt black, 300 × 300 mm
- 26.000.205.778** NEW  
brushed copper, 300 × 300 mm
- 26.000.205.779** NEW  
brushed graphite, 300 × 300 mm

Flow rate 18 l/min (3 bar)




**Shower head  
KWC PIATTO-X R**

- spajet

**KWC-No.**

- 26.000.214.000**  
chromeline, ø 250
- 26.000.215.000**  
chromeline, ø 300
- 26.000.216.000**  
chromeline, ø 400

Flow rate 18 l/min (3 bar)



**Shower head  
KWC PIATTO-X R**

- spajet

**KWC-No.**

- 26.000.215.000**  
chromeline, ø 300
- 26.000.215.700**  
Edelstahl, ø 300
- 26.000.215.775** NEW  
brushed gold, ø 300
- 26.000.215.776**  
matt black, ø 300
- 26.000.215.778** NEW  
brushed copper, ø 300
- 26.000.215.779** NEW  
brushed graphite, ø 300

Flow rate 18 l/min (3 bar)



### Shower head KWC FIT

- spajet

#### KWC-No.

**26.000.222.000**  
chromeline, ø 230

Flow rate 10 l/min (3 bar)



### Wall head shower KWC BROCCA

- spajet

#### KWC-No.

**26.000.241.000**  
chromeline, ø 100  
**26.000.241.176**  
matt black, ø 100  
**26.000.241.700**  
acier inoxydable, ø 100  
**26.000.241.775**  
brushed gold, ø 100  
**26.000.241.778**  
brushed copper, ø 100  
**26.000.241.779**  
brushed graphite, ø 100

NEW

NEW

NEW

Flow rate 10,8 l/min (3 bar)




### Shower head KWC FIT mono

- fitjet

#### KWC-No.

**26.000.221.000**  
chromeline

Flow rate 12 l/min (3 bar)



### Sports shower

#### KWC-No.

**Z.505.480.000.34**  
chromeline

Flow rate 15 l/min (3 bar)



**Sliding wall bar** 

**FIT**  
the original

**KWC-No.** \_\_\_\_\_

**K.26.99.01.000**  
chromeline, L 612


**K.26.99.02.000**  
chromeline, L 1100

**K.26.99.02.175**   
brushed gold, L 1100

**K.26.99.02.176**  
matt black, L 1100

**K.26.99.02.177**  
brushed steel, L 1100

**K.26.99.02.178**   
brushed copper, L 1100

**K.26.99.02.179**   
brushed graphite, L 1100



**Sliding wall bar**  
**FIT easy**

**KWC-No.** \_\_\_\_\_

**26.000.506.000**  
chromeline, L 612

**26.000.507.000**  
chromeline, L 1100



**Sliding wall bar**  
**FIT style**  
the original

**KWC-No.** \_\_\_\_\_

**26.000.502.000**  
chromeline, L 612

**26.000.503.000**  
chromeline, L 1100



**Sliding wall bar**  
**FIT design**  
the original

**KWC-No.** \_\_\_\_\_

**26.000.504.000**  
chromeline, L 612


**26.000.505.000**  
chromeline, L 1100



**Sliding wall bar kit fit**

**KWC-No.** \_\_\_\_\_

**26.003.522.000**  
chromeline, L 1100



**Sliding wall bar kit fit**

**KWC-No.** \_\_\_\_\_

**K.26.99.02.000**  
chromeline, L 1100

**K.26.99.01.000**  
chromeline, L 612




### Base set for corner model

Suitable for:  
 - KWC sliding wall bar FIT  
 "the original" **K.26.99.01**  
 or **K.26.99.02**  
 - KWC sliding wall bar FIT easy  
**26.000.506.000** or  
**26.000.507.000**

**KWC-No.**

**Z.532.943.000**  
 chromeline




### Escutcheon for sliding wall bar FIT

Suitable for:  
 KWC sliding wall bar FIT

**KWC-No.**

**Z.538.897.000**  
 chromeline  
**Z.538.897.176**  
 matt black  
**Z.538.897.177**  
 brushed steel




### Shower arm

Suitable for all KWC shower heads

**KWC-No.**

**26.000.800.000**  
 chromeline, L 352  
**26.000.800.175** NEW  
 brushed gold, L 352  
**26.000.800.176**  
 matt black, L 352  
**26.000.800.177** NEW  
 brushed steel, L 352  
**26.000.800.178** NEW  
 brushed copper, L 352  
**26.000.800.179** NEW  
 brushed graphite, L 352




### Shower arm

Suitable for all KWC shower heads

**KWC-No.**

**26.000.803.000**  
 chromeline, L 352  
**26.000.803.175** NEW  
 brushed gold, L 352  
**26.000.803.176**  
 matt black, L 352  
**26.000.803.177** NEW  
 brushed steel, L 352  
**26.000.803.178** NEW  
 brushed copper, L 352  
**26.000.803.179** NEW  
 brushed graphite, L 352



### Shower arm

Suitable for all KWC shower heads

**KWC-No.**

**26.000.810.000**  
 chromeline, L 352




### Shower arm

Suitable for all KWC shower heads

**KWC-No.**

**26.000.813.000**  
 chromeline, L 352



### Shower arm

Suitable for all KWC shower heads

**KWC-No.**

**26.000.811.000**  
 chromeline, L 385



### Shower arm

Suitable for all KWC shower heads

**KWC-No.**

**26.000.812.000**  
 chromeline, L 485






**Shower arm**  
Suitable for all KWC shower heads

**KWC-No.**  
**26.000.824.000**  
chromeline, L 225  
**26.000.825.000**  
chromeline, L 325



**Shower arm**   
Suitable for all KWC shower heads

**KWC-No.**  
**26.000.823.000**  
chromeline, L 125  
**26.000.823.175**   
brushed gold, L 125  
**26.000.823.176**  
matt black, L 125  
**26.000.823.177**  
brushed steel, L 125  
**26.000.823.178**   
brushed copper, L 125  
**26.000.823.179**   
brushed graphite, L 125







**Shower arm**  
Suitable for all KWC shower heads

**KWC-No.**  
**26.000.821.000**  
chromeline, L 225  
**26.000.822.000**  
chromeline, L 325




**Shower arm**   
Suitable for all KWC shower heads

**KWC-No.**  
**26.000.820.000**  
chromeline, L 125  
**26.000.820.175**   
brushed gold, L 125  
**26.000.820.176**  
matt black, L 125  
**26.000.820.177**  
brushed steel, L 125  
**26.000.820.178**   
brushed copper, L 125  
**26.000.820.179**   
brushed graphite, L 125



**Shower arm**  
**KWC-No.**  
**26.000.804.000**  
chromeline, L 90







**Shower bracket** 

**style**

Suitable for:  
- all hand showers

**KWC-No.**

- 26.000.621.000**  
chromeline
- 26.000.621.175**  brushed gold
- 26.000.621.176**  
matt black
- 26.000.621.177**  
brushed steel
- 26.000.621.178**  brushed copper
- 26.000.621.179**  brushed graphite






**Shower bracket** 

**design**

Suitable for:  
- all hand showers

**KWC-No.**




- 26.000.620.000**  
chromeline
- 26.000.620.175**  brushed gold
- 26.000.620.176**  
matt black
- 26.000.620.177**  
brushed steel
- 26.000.620.178**  brushed copper
- 26.000.620.179**  brushed graphite



**Shower bracket** 

Suitable for:  
- all hand showers

**KWC-No.**

- 26.000.622.000**  
chromeline
- 26.000.622.175**  brushed gold
- 26.000.622.176**  
matt black
- 26.000.622.177**  
brushed steel
- 26.000.622.178**  brushed copper
- 26.000.622.179**  brushed graphite




**Shower bracket**

Suitable for:  
- all hand showers

**KWC-No.**

- 26.000.623.000**  
chromeline



**Shower bracket** 

**Homebox**

Suitable for:  
- all hand showers

**KWC-No.**

- 26.000.624.000**  
chromeline
- 26.000.624.176**  
matt black
- 26.000.624.177**  
brushed steel



**Hose connection**

**KWC-No.**

- 26.000.614.000**  
chromeline

**Hose connection style** 



- KWC-No.**
- 26.000.610.000 chromeline
  - 26.000.610.175 brushed gold NEW
  - 26.000.610.176 matt black
  - 26.000.610.177 brushed steel
  - 26.000.610.178 brushed copper NEW
  - 26.000.610.179 brushed graphite NEW

**Hose connection design** 



- KWC-No.**
- 26.000.611.000 chromeline
  - 26.000.611.175 brushed gold NEW
  - 26.000.611.176 matt black
  - 26.000.611.177 brushed steel
  - 26.000.611.178 brushed copper NEW
  - 26.000.611.179 brushed graphite NEW

**Hose connection style** 



- KWC-No.**
- 26.000.612.000 chromeline
  - 26.000.612.175 brushed gold NEW
  - 26.000.612.176 matt black
  - 26.000.612.177 brushed steel
  - 26.000.612.178 brushed copper NEW
  - 26.000.612.179 brushed graphite NEW

**Hose connection design** 



- KWC-No.**
- 26.000.613.000 chromeline
  - 26.000.613.175 brushed gold NEW
  - 26.000.613.176 matt black
  - 26.000.613.177 brushed steel
  - 26.000.613.178 brushed copper NEW
  - 26.000.613.179 brushed graphite NEW

**Shower hose**



- KWC-No.**
- 26.001.005.000 chromeline, L 2000
  - 26.001.004.000 chromeline, L 1800
  - 26.001.003.000 chromeline, L 1600
  - 26.001.002.000 chromeline, L 1250

**Shower hose** 



- KWC-No.**
- 26.001.033.175 brushed gold, L 1500 NEW
  - 26.001.033.176 matt black, L 1500
  - 26.001.033.177 brushed steel, L 1500
  - 26.001.033.178 brushed copper, L 1500 NEW
  - 26.001.033.179 brushed graphite, L 1500 NEW

**Shower hose**



- KWC-No.**
- Z.538.415.000 chromeline, L 1500

**Shower hose**

- can be shortened



- KWC-No.**
- 26.001.009.000 L 1000



## Siphon



### KWC-No.

**Z.538.992.000**

chromeline

**Z.538.992.175**

brushed gold

**Z.538.992.176**

matt black

**Z.538.992.177**

brushed steel

**Z.538.992.178**

brushed copper


**Z.538.992.179**

brushed graphite

NEW

NEW

NEW



## Shut-off valve



### KWC-No.

**27.002.060.175**

brushed gold, A 45, G 3/8", G 1/2"

**27.002.060.176**

chromeline, A 45, G 3/8", G 1/2"

**27.002.060.177**

brushed steel, A 45, G 3/8", G 1/2"

**27.002.060.178**

brushed copper, A 45, G 3/8", G 1/2"


**27.002.060.179**

brushed graphite, A 45, G 3/8", G 1/2"

NEW

NEW

NEW



## Tub spout style

- fixed spout



### KWC-No.

**26.008.043.000**

chromeline, A 200

**26.008.043.175**

brushed gold

**26.008.043.176**

matt black

**26.008.043.177**

brushed steel

**26.008.043.178**

brushed copper

**26.008.043.179**


brushed graphite

NEW

NEW

NEW

Flow rate 29 l/min (3 bar)



## Tub spout design


- fixed spout

### KWC-No.

**26.008.053.000**

chromeline, A 200

Flow rate 29 l/min (3 bar)



## Tub spout style


- fixed spout

### KWC-No.

**26.008.023.000**

chromeline, A 200

Flow rate 29 l/min (3 bar)



## Tub spout design

- fixed spout

### KWC-No.

**26.008.033.000**

chromeline, A 200

Flow rate 29 l/min (3 bar)

#### Technical information

The bathroom tap applications illustrated in this brochure are examples. Technology and design may change as product development progresses. The suitability of the fittings must be checked individually for each property. Only the specifications and the installation and service instructions of KWC Group AG are authoritative for planning and technical realization. We reserve the right to make changes to the range, model and technical specifications. Dimensions in mm.

Color differences on stainless steel surfaces on different parts of a KWC Group AG faucet made out of stainless steel, cannot totally be excluded. Different factors may lead to a slight color differentiation.

1. Already a slight difference in material composition may cause stainless steel to reflect light differently (more blue or yellow reflections). These differences in steel compositions still fulfill DIN valid material standards. They may occur within one lot of a steel production unit.
2. Different cooling or production treatment parameters may also cause color surface differentiation.
3. Different surface consistency caused by the production process may as well lead to a different light reflection, so that other colors appear.

Our aim is not to have another surface process to guarantee a 100 % stainless steel color consistency. Beside the unique KWC faucet design we would like to keep a puristic surface finish of natural stainless steel in match with our design philosophy.

