




KWC

KWC
in the kitchen

KWC in the kitchen

Portfolio 2026/2027



Further information on our product lines can be found on our homepage www.kwc.com.



Introduction

KWC Technologies

2

Our fitting lines


KWC AVA 2.0	8
KWC BEVO E	14
KWC BISTRO E	22
KWC DOMO 6.0	28
KWC DOMO E	34
KWC ENIA E	40
KWC ERA	42
KWC EVE	46
KWC FIT	50
KWC INOX	56
KWC ISLA	62
KWC KIO	64
KWC LIVELLO	70
KWC LUNA E	74
KWC ONO	78
KWC SIN	86
KWC SUNO	92
KWC VITA PRO 2.0	98
KWC WAMAS 2.0	102
KWC ZOE	104
KWC Soap dispenser	110

Hygiene




HealthProtect

Better hygiene and unchanged water quality: HealthProtect highlights the strict standards we set ourselves to ensure that our faucets do not affect the taste and smell of your water – that is why we use high-quality materials (metals, plastics) that are ideally suited for contact with water.




SprayClean

Actively helps with the removal of limescale: With a special faceplate and fastening mechanism, SprayClean prevents limescale buildup. Any deposits are sprayed away automatically when the water is running. The special fastening mechanism helps with more stubborn lime deposits: simply turn, clean, and the job is done.




TripleClean

Three water streams for more flexibility: TripleClean allows you to change between a normal stream for filling glasses, a soft spray for gently cleaning food, and a power spray for pre-rinsing and removing dirt from dishes.




LEDShine

Visible precision and a bright, friendly workspace: LEDShine does more than just contribute to a special working atmosphere – this innovative feature makes it easier to see the tiniest specks of dirt and makes it possible to use the faucet without turning on a light.




HybridControl

Touchless operation and flexible control: Allows touchless activation of cold water via a sensor, as well as manual mixing of hot and cold water using the lever. Cutting-edge technology for intuitive handling and versatile applications.



PurifiedWater

Enhanced purity and unaltered water enjoyment: Featuring advanced filtration technology, this solution minimizes particles larger than 0.5 micrometers, including heavy metals, microplastics, chlorine odors and tastes, as well as bacteria. Impeccable water quality to meet the highest standards.



DualFlow


Maximum hygiene and uncompromised safety: Separate water conduits ensure that mixed water and filtered water never come into contact. An intelligent solution that guarantees absolute purity and unaltered taste.

Sustainability




EcoProtect

For economical water consumption and responsible use of resources: EcoProtect represents our commitment to promoting a sustainable lifestyle.




CoolFix

Intelligent and efficient resource usage: With CoolFix, when the lever is in the center – the most common position – the water runs cold. Only when the lever is turned to the left, the water runs warm.



GlacierFinish

Robust surfaces and high-quality craftsmanship: GlacierFinish is equipped with durable surfaces that are exceptionally robust and feature an attractive polished shine that you can enjoy for years to come.



PrecisionMove

Exceptional elegance and precision: PrecisionMove allows for seamless movements and exceptional convenience thanks to our consistent use of top-quality materials and superior craftsmanship.



QualityControl

Exceptional quality from A to Z: with KWC QualityControl, we guarantee the utmost product reliability. KWC performs and continuously monitors all stages of the process: development, production, installation, and even the manufacture of the required tools.



ClickControl

Simple gestures enable water amounts, temperatures and delivery modes to be programmed and recalled through ClickControl, an intelligent extension to standard manual operation. Ideal for everyday tasks and mindful water consumption, without compromising simplicity.



EcoControl


For precise water flow control and responsible resource use, EcoControl noticeably limits the flow rate up to the first lever stop. When the lever is opened further, the full water volume becomes available.

Safety



TouchProtect

Safe to use: An insulated hot water guidance system with a “double skin” principle means the body of the faucet or the pull-out spray can become warm but never hot. In this way, TouchProtect intelligently prevents scalding.




SkinProtect

Effective protection against scalding: With SkinProtect, your faucet will only supply you with water hotter than 38°C when you press the safety button on the temperature controller. If the cold water is shut off, the faucet automatically shuts off the hot water immediately.



SwivelStop

Stop the faucet from moving too far and prevent water damage: SwivelStop allows the swivel range to be adjusted from 360° to 120° or 150° in just a few steps, ensuring that the water only flows into the sink.



QuickConnect

Easy installation and more safety in the kitchen: with QuickConnect, there is no need to screw on the spray head hose, which means there is also no risk of damaging the seal and causing water damage.



CertificationGuarantee


Trust is good, certifications are better: our KWC CertificationGuarantee ensures that we have all of our products professionally inspected and certified across all markets.



SprayLock


Adjust the flow: With SprayLock, you can keep the jet of water from your faucet flowing exactly how you want, even when the water is shut off. When you turn the water back on, the water flows in the same way again.

Enthusiasm




DesignSpray

Elegant design and functionality: With DesignSpray, the pull-out spray is seamlessly integrated and recessed. It can be easily extended with just one finger.




UniqueLever

Innovative lever designs that allow for natural and intuitive use: UniqueLever features innovative KWC design – elegance and precision that you can not only see, but also feel every day.




QuickInstallation

Hassle-free positioning and fastening of the threaded connection for quick and easy installation: the locking nut is screwed into place by hand to hold the faucet in position using QuickInstallation, before it is fixed in place via the two locking screws.



IntelligentControl

Intuitive control meets modern convenience: IntelligentControl reacts to a tap of your finger, can be programmed based on your personal habits and requirements, and has a light ring that indicates the current water temperature.




PowerClean

The spray you want at the touch of a button: PowerClean makes it exceedingly easy to switch the flow of water on the spray head – from a standard spray to a fine needle spray.




TwistProtect

Effortless work around the sink: TwistProtect prevents the hose from twisting or knotting.



OptimalSpace

Practical yet elegant ergonomic design: OptimalSpace features long, tall spouts that provide ample space for washing and or working.



EasyLock

A spray that is easy to use and automatically snaps into place: EasyLock is equipped with special positioning pins that ensure that the pull-out spray is always in the right position.



HighFlex

Increased freedom of movement and ease of use: HighFlex makes it possible to move the spring hose in every direction while ensuring it remains reliably stable when not in use.



At home in the kitchen

With a passion for detail, our kitchen taps ensure perfect harmony in the kitchen – for all the senses. The design is always elegant, the functionality ingenious – the water quality always in the foreground, filtered or unfiltered. Safe and intuitive operation, including touch-free with just a wave of your hand. The precise workmanship ensures long-lasting enjoyment of the tap. The materials and stainless steel are of the highest quality, enable easy cleaning and maximum hygiene. Premium quality for ambitious amateur cooks and the whole family.

KWC AVA 2.0

Design and function in playful harmony

Unique flat lever, elegant soft-cube design, ultrasleek silhouette. The KWC AVA 2.0 makes a clear statement that whoever lives here knows exactly what they want from life – and from their bathroom: stylish confidence, simple elegance, excellent quality, and functionality so perfect that you barely even notice it.



One special feature of the KWC AVA 2.0 is the three types of streams. The normal stream is perfect for quickly filling the sink or pots. The strong PowerSpray stream makes washing up easier. SoftSpray is suitable for the gentle washing of fruit, vegetables and lettuce.





**Kitchen**

Lever mixer
– Swivel spout 150°

**KWC-No.**

10.461.022.000FL
chromeline, A 210
10.461.022.176FL
matt black, A 210
10.461.022.177FL
brushed steel, A 210

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer
– Pull-out spray
– SprayClean
– TripleClean
– TouchProtect
– Hose guide,
swivelling 120°

**KWC-No.**

10.461.032.000FL
chromeline, A 220
10.461.032.176FL
matt black, A 220
10.461.032.177FL
brushed steel, A 220

Flow rate
Normal spray 8 l/min (3 bar)
Flow rate
Needle spray 9 l/min (3 bar)

**Kitchen**

Lever mixer
– Swivel spout 150°
– SwivelStop
– OptimalSpace

**KWC-No.**

10.461.012.000FL
chromeline, A 220
10.461.012.176FL
matt black, A 220
10.461.012.177FL
brushed steel, A 220

Flow rate 11.7 l/min (3 bar)

**Kitchen**

Lever mixer
– Pull-out spray
– SprayClean
– TripleClean
– TouchProtect
– EasyLock
– Hose guide,
swivelling 150°

**KWC-No.**

10.461.002.000FL
chromeline, A 225
10.461.002.176FL
matt black, A 225
10.461.002.177FL
brushed steel, A 225

Flow rate
Normal spray 8 l/min (3 bar)
Flow rate
Needle spray 9 l/min (3 bar)







KWC BEVO E

Lightness in form and function

The KWC BEVO E fascinates with its slim silhouette and elegant transitions and is made of hygienic stainless steel. The characteristic asymmetrical spout is a striking design element. The dual-shell design of the shower models provides extra safety - it protects against burns. No matter how hot the water flows, the exterior of the KWC BEVO E showerhead remains cool to the touch. The new KWC BEVO E Hybrid is an innovative addition to the existing KWC BEVO E line. It combines timeless design with modern sensor technology and sets new standards in the kitchen. Touchless hygiene and convenience: thanks to its sensor control, the KWC BEVO E Hybrid enables touchless activation and automatic shutoff of the water flow - for greater cleanliness and hygiene in everyday kitchen life.



The sensor control of the BEVO E Hybrid ensures contactless activation and automatic water shutoff - ideal for maintaining enhanced hygiene in the kitchen







Kitchen

Lever mixer
– Swivel spout 150°

KWC-No.

10.531.022.751FL
industrial black, A215
10.531.022.700FL
stainless steel, A215

Flow rate 10.3 l/min (3 bar)



NEW

Kitchen eco

Lever mixer
– CoolFix
– EcoControl
– Swivel spout 150°

KWC-No.

10.531.442.751FL
industrial black, A220
10.531.442.700FL
stainless steel, A220



Kitchen

Lever mixer
– Pull-out spray up to 700mm
– Swivel spout 120°
– EasyLock
– TouchProtect

KWC-No.

10.531.112.751FL
industrial black, A220
10.531.112.700FL
stainless steel, A220

Flow rate 5.4 l/min (3 bar)



NEW

Kitchen eco

Lever mixer
– CoolFix
– EcoControl
– Pull-out spray up to 700mm
– Swivel spout 120°
– EasyLock
– TouchProtect

KWC-No.

10.531.452.751FL
industrial black, A225, Batterie
10.531.452.700FL
stainless steel, A225, Batterie



Kitchen

Lever mixer
– Pull-out spray up to 700mm
– SprayClean
– PowerClean
– Swivel spout 120°
– EasyLock

KWC-No.

10.531.032.751FL
industrial black, A220
10.531.032.700FL
stainless steel, A220

Flow rate
Normal spray 7.2 l/min (3 bar)
Flow rate
Needle spray 7.1 l/min (3 bar)



NEW

Kitchen eco

Lever mixer
– Pull-out spray up to 700mm
– SprayClean
– PowerClean
– Swivel spout 120°
– EasyLock
– CoolFix
– EcoControl

KWC-No.

10.531.462.751FL
industrial black, A220
10.531.462.700FL
stainless steel, A220



Kitchen

Lever mixer
– Pull-out spray up to 500 mm
– Swivel spout 150°
– HybridControl
– EasyLock
– OptimalSpace
– TouchProtect

KWC-No.

10.531.643.700FL
industrial black, A225, Batterie
10.531.643.751FL
stainless steel, A225, Batterie








**Kitchen**

Lever mixer

- Pull-out aerator up to 600 mm
- Swivel spout 150°
- EasyLock
- OptimalSpace
- TouchProtect

KWC-No.

- 10.531.103.751FL**
industrial black, A225
- 10.531.103.700FL**
stainless steel, A225
- 10.531.103.775FL** 
- brushed gold, A225
- 10.531.103.778FL** 
- brushed copper, A225
- 10.531.103.779FL** 
- brushed graphite, A225

Flow rate 8.1 l/min (3 bar)

**Kitchen**

Lever mixer

- Pull-out spray up to 600mm
- SprayClean
- PowerClean
- Swivel spout 150°
- EasyLock
- OptimalSpace

KWC-No.

- 10.531.003.700FL**
industrial black, A230
- 10.531.003.751FL**
stainless steel, A230
- 10.531.003.775FL** 
- brushed gold, A230
- 10.531.003.778FL** 
- brushed copper, A230
- 10.531.003.779FL** 
- brushed graphite, A230




Flow rate
Normal spray 8 l/min (3 bar)
Flow rate
Needle spray 6.2 l/min (3 bar)

**Kitchen**

Lever mixer

- Swivel spout 150°
- OptimalSpace

KWC-No.

- 10.531.012.751FL**
industrial black, A220
- 10.531.012.700FL**
stainless steel, A220
- 10.531.012.775FL** 
- brushed gold, A220
- 10.531.012.778FL** 
- brushed copper, A220
- 10.531.012.779FL** 
- brushed graphite, A220

Flow rate 8,7 l/min (3 bar)



KWC BISTRO E

The best of both worlds

Suitable for every situation. Genuine professional quality made of stainless steel for ambitious chefs with high standards. Design-orientated with the highflex hose or high performance with the dish spray head, the KWC BISTRO E adapts effortlessly to all requirements. Also available as a swivel version with or without sensors for the tea or coffee kitchen. Efficiency and technology for performance, easy cleaning and convenient operation. Maximum hygiene standards and convenience in amateur kitchens and small catering establishments.



Less soiling, less consumption and therefore lower costs. These are just some of the many advantages of the hybrid version of the KWC BISTRO E, which can be operated hands-free. This is hygienic and standard in washrooms in commercial and public buildings. As an electronic sensor tap, this makes it ideal for tea and coffee kitchens. As a hybrid, it combines the advantages of a sensor tap and a lever mixer. Whether with a simple hand gesture or conventionally with the lever – the pure stainless steel guarantees hygiene at all times.









Kitchen

- Lever mixer
 – Swivel spout 360°
 – OptimalSpace
 – QuickInstallation

KWC-No.

10.581.013.700FL
 stainless steel, A 250

Flow rate 14 l/min (3 bar)




Kitchen

- Lever mixer
 – Swivel spout 360°
 – TouchProtect
 – SprayClean
 – PowerClean
 – EasyLock
 – OptimalSpace
 – QuickInstallation
 – HighFlex

KWC-No.

10.581.433.700FL
 stainless steel, A 235

Flow rate
 Normal spray 8 l/min (3 bar)
 Flow rate
 Needle spray 6.4 l/min (3 bar)



Kitchen

- Lever mixer
 – Swivel spout
 – TouchProtect
 – SprayLock
 – PowerClean
 – OptimalSpace
 – QuickInstallation

KWC-No.

10.581.144.700FL
 stainless steel, A 295

Flow rate
 Normal spray 4 l/min (3 bar)
 Flow rate 14.4 l/min (3 bar)
 Spray: Flow rate 8 l/min (3 bar)



Kitchen

- Hybrid lever mixer
 – Fixed swivel spout,
 extendable to 50 °/120°/360°
 – QuickInstallation
 – OptimalSpace
 – Battery

KWC-No.

10.581.102.700FL
 stainless steel, A 220, battery
10.581.112.700FL
 stainless steel, A 220, mains
10.581.122.700FL
 stainless steel, A 220, battery,
 low-pressure version
10.581.132.700FL
 stainless steel, A 220, mains,
 low-pressure version





KWC DOMO | 6.0

Switzerland's faucet of choice: quality redefined

Few design objects have managed to remain modern for around 40 years, but the KWC DOMO, probably Switzerland's biggest selling faucet, has done just that. And that's not where its story ends. This millionfold proven faucet has undergone careful design developments and been combined with cutting edge technology to create the latest generation with an even wider range of products: KWC DOMO | 6.0.

A contemporary look with the technology of the future: the lever mixer can be provided as a top-operated or side-operated version, and all versions can be fitted with a swivel spout or a pull-out spray.





Normal spray: the normal stream is perfect for quickly filling the sink and pots.



SoftSpray: the soft stream is suitable for the gentle washing of food.



PowerSpray: the power stream is suitable for pre-rinsing and removing dirt.





Kitchen

Lever mixer

- Swivel spout 150°
- OptimalSpace
- QuickInstallation

KWC-Nr.

10.661.023.000FL
chromeline, A 225

Flow rate 12 l/min (3 bar)



NEW

Kitchen eco

Lever mixer

- Swivel spout 150°
- OptimalSpace
- QuickInstallation
- CoolFix
- EcoControl

KWC-No.

10.661.443.000FL
chromeline, A 225



Kitchen

Lever mixer

- TouchProtect
- Pull-out spray
- SprayClean
- TripleClean
- QuickConnect
- Hose guide, swivelling 120°
- EasyLock
- OptimalSpace
- QuickInstallation

KWC-No.

10.661.033.000FL
chromeline, A 225

Flow rate
Normal spray 8 l/min (3 bar)
Flow rate
Needle spray 9 l/min (3 bar)



NEW

Kitchen eco

Lever mixer

- TouchProtect
- Pull-out spray
- SprayClean
- TripleClean
- QuickConnect
- Hose guide, swivelling 120°
- EasyLock
- OptimalSpace
- QuickInstallation
- CoolFix
- EcoControl

KWC-No.

10.661.463.000FL
chromeline, A 225



Kitchen

- Lever mixer
- Swivel spout 150°
- OptimalSpace

KWC-Nr.

10.661.523.000FL
chromeline, A 225

Flow rate 12 l/min (3 bar)



Kitchen eco

- Lever mixer
- Swivel spout 150°
- OptimalSpace
- CoolFix
- EcoControl

KWC-No.

10.661.543.000FL
chromeline, A 225



Kitchen

- Lever mixer
- TouchProtect
- Pull-out spray
- SprayClean
- TripleClean
- Hose guide, swivelling 120°
- EasyLock
- OptimalSpace

KWC-Nr.

10.661.533.000FL
chromeline, A 235,

- Flow rate
- Normal spray 8 l/min (3 bar)
- Flow rate
- Needle spray 9 l/min (3 bar)



Kitchen eco

- Lever mixer
- TouchProtect
- Pull-out spray
- SprayClean
- TripleClean
- Hose guide, swivelling 120°
- EasyLock
- OptimalSpace
- CoolFix
- EcoControl

KWC-No.

10.661.553.000FL
chromeline, A 225




Kitchen

- Lever mixer
- TouchProtect
 - Pull-out spray
 - TripleClean
 - QuickConnect
 - Hose guide, swivelling 150°
 - EasyLock
 - OptimalSpace
 - QuickInstallation

KWC-Nr.

10.661.003.000FL
chromeline, A 215

- Flow rate
Normal spray 8 l/min (3 bar)
Flow rate
Needle spray 8 l/min (3 bar)



Kitchen

- Lever mixer
- Swivel spout 360°
begrenzbar auf 150°
 - OptimalSpace
 - QuickInstallation

KWC-Nr.

10.661.013.000FL
chromeline, A 225

- Flow rate 11 l/min (3 bar)



Kitchen

- Lever mixer
- Detachable for installation below windows - detached 55 mm
 - Swivel spout 150°
 - OptimalSpace

KWC-Nr.

10.661.043.000FL
chromeline, A 225

- Flow rate 12 l/min (3 bar)



Kitchen

- Lever mixer
- Detachable for installation below windows - detached 55 mm
 - TouchProtect
 - Pull-out spray
 - SprayClean
 - TripleClean
 - Hose guide, swivelling 120°
 - EasyLock
 - OptimalSpace

KWC-Nr.

10.661.053.000FL
chromeline, A 225

- Flow rate
Normal spray 8 l/min (3 bar)
Flow rate
Needle spray 9 l/min (3 bar)

KWC DOMO E

The ultimate tool for your kitchen

If true refinement and strict hygiene are priorities for you, the stainless-steel version is the perfect choice. The stainless-steel surface is durable, scratch- and abrasion-resistant, easy to clean, and above all, anti-bacterial. This is the ideal solution for the most intensively used work area in the kitchen: the sink/food preparation hub.



Strikes the perfect balance between special and refined: Thanks to its sophisticated aesthetics, the KWC DOMO E will be an elegant fit for your kitchen – whatever your style.



**Kitchen**

- Lever mixer
 – in stainless steel
 – Swivel spout 150°
 – OptimalSpace
 – QuickInstallation

KWC-No.

10.701.023.700FL
 stainless steel, A 225

Flow rate 12 l/min (3 bar)

**Kitchen**

- Lever mixer
 – in stainless steel
 – TouchProtect
 – Pull-out spray
 – SprayClean
 – TripleClean
 – QuickConnect
 – Hose guide,
 swivelling 120°
 – EasyLock
 – OptimalSpace
 – QuickInstallation

KWC-No.

10.701.033.700FL
 stainless steel, A 225

Flow rate
 Normal spray 8 l/min (3 bar)
 Flow rate
 Needle spray 9 l/min (3 bar)

**Kitchen**

- Lever mixer
 – in stainless steel
 – SwivelStop – swivel spout 150°,
 extendable to 360°
 – OptimalSpace
 – QuickInstallation

KWC-No.

10.701.013.700FL
 stainless steel, A 225

Flow rate 11 l/min (3 bar)

**Kitchen**

- Lever mixer
 – in stainless steel
 – TouchProtect
 – Pull-out spray
 – TripleClean
 – QuickConnect
 – Hose guide,
 swivelling 150°
 – EasyLock
 – OptimalSpace
 – QuickInstallation

KWC-No.

10.701.003.700FL
 stainless steel, A 215

Flow rate
 Normal spray 9 l/min (3 bar)
 Flow rate
 Needle spray 9 l/min (3 bar)







KWC ENIA E

Water purity redefined

The KWC ENIA E combines clean design with maximum functionality. Thanks to its innovative dual water flow system, it delivers both filtered and mixed water from a single outlet. Precisely crafted from corrosion-resistant stainless steel, it guarantees durability, effortless operation, and crystal-clear water purity - ideal for modern kitchens with the highest standards. Whether in stainless steel or industrial black - the ENIA E adds a refined visual accent and enhances every kitchen with its modern, elegant design. The swivel spout and ergonomic feel ensure convenient, user-friendly operation. Comfort and hygiene perfectly combined. The KWC ENIA E sets new a standard in the kitchen. With its innovative dual water flow, it supplies filter water and mixed water from a single outlet - for maximum convenience and perfect hygiene.

**Kitchen**

- in stainless steel
- Swivel spout 360°
- DualFlow
- PurifiedWater
- QuickInstallation

KWC-No.

10.591.602.700FL
stainless steel, A 225 with filter
10.591.602.751FL
industrial black, A 225 with filter

Flow rate 8.2 l/min (3 bar)

**Pillar tap**

- in stainless steel
- Fixed spout

KWC-No.

25.591.201.700
stainless steel, A 125, G ½"
25.591.201.751
industrial black, A 125, G ½"

Flow rate 3.5 l/min (3 bar)

**Kitchen**

- in stainless steel
- Swivel spout 360°
- DualFlow
- QuickInstallation

KWC-No.

10.591.612.700FL
stainless steel, A 225 without filter
10.591.612.751FL
industrial black, A 225 without filter

Flow rate 8.2 l/min (3 bar)



KWC ERA

Effortless use and sculptural perfection

A highly minimalist faucet fitting, its appearance is modelled on a jet of water shooting upwards and falling back down by gravitational force, in a parabolic arc. When the water is running, the arch of stainless steel and water is made whole, forming a complete, highly aesthetic sculpture. Reduced to the essentials with maximum performance made of real stainless steel.




**Kitchen**

- Lever mixer
 – in stainless steel
 – 2-hole
 – Swivel spout 150°, extendable to 360°
 – OptimalSpace

KWC-No.

10.392.023.700FL
 stainless steel, A 225

Flow rate 8 l/min (3 bar)

**Kitchen**

- Lever mixer
 – in stainless steel
 – 2-hole
 – Swivel spout 150°, extendable to 360°
 – OptimalSpace

KWC-No.

10.392.024.700FL
 stainless steel, A 230

Flow rate 8 l/min (3 bar)

**Kitchen**

- Lever mixer
 – in stainless steel
 – 2-hole
 – Swivel spout 150°, extendable to 360°
 – OptimalSpace

KWC-No.

10.392.022.700FL
 stainless steel, A 220

Flow rate 8 l/min (3 bar)

**Kitchen**

- Lever mixer
 – in stainless steel
 – 2-hole
 – TouchProtect
 – Pull-out spray 360° turn – magnetic tight-fit holder
 – SprayClean
 – PowerClean
 – Hose guide, swivelling 150°, can be extended to 360°
 – OptimalSpace

KWC-No.

10.392.323.700FL
 stainless steel, A 230

Flow rate
 Normal spray 7 l/min (3 bar)
 Flow rate
 Needle spray 7 l/min (3 bar)



INDEX

KWC EVE

Beauty in profile

The design and function-oriented kitchen tap, with its perfect form and timeless aesthetic, is made for use in stylistically clean kitchen environments where functionality and visual appeal should go hand in hand. This is reflected in its overall appearance and its materials: KWC EVE is available in a high-grade chrome-plated version, with a pure white or deep black surface, or entirely in stainless steel. The highlight is a seamlessly integrated pull-out spout with LED technology.



To create the right atmosphere in your kitchen, you can activate the LEDShine play of light whenever the mood strikes you. The light ring is integrated into the pull-out aerator, making it seem invisible, while the LEDs have a very long lifespan and use very little electricity.





**Kitchen**

- Lever mixer
- TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 320°
 - EasyLock

KWC-No.

- 10.111.102.000FL**
chromeline, A 190
10.111.102.700FL
stainless steel, A 190

Flow rate 10 l/min (3 bar)

**Kitchen**

- Lever mixer
- TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 320°
 - EasyLock
 - OptimalSpace

KWC-No.

- 10.111.103.000FL**
chromeline, A 225
10.111.103.700FL
stainless steel, A 225
10.111.103.151FL
black chrome-plated, A 225
10.111.103.150FL
glacier white, A 225

Flow rate 10 l/min (3 bar)

**Kitchen**

- Lever mixer with LEDShine
- TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 320°
 - EasyLock

KWC-No.

- 10.121.102.000FL**
chromeline, A 190, Mains receiver
10.121.102.700FL
stainless steel, A 190,
Mains receiver

Flow rate 10 l/min (3 bar)

**Kitchen**

- Lever mixer with LEDShine
- TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 320°
 - EasyLock
 - OptimalSpace

KWC-No.

- 10.121.103.000FL**
chromeline, A 225,
power supply unit
10.121.103.700FL
stainless steel, A 225,
power supply unit
10.121.103.151FL
black chrome-plated, A 225,
power supply unit
10.121.103.150FL
glacier white, A 225,
power supply unit
Flow rate 10 l/min (3 bar)

KWC FIT

The essence of function and design

The KWC FIT is characterised by its cylindrical basic shape. Its design follows its function. This makes the seamless monobody particularly easy to clean – perfect for hygiene and great for its service life. Maximum user-friendliness and variable models. As flexible as it is, it fits into any kitchen, regardless of the available space.



Switching between the two jet types is as simple as the overall handling. The spray head sits perfectly in your hand. The diverter fits in visually with the design.







**Kitchen**

- Lever mixer
 – Swivel spout 150°
 – QuickInstallation

KWC-No.**10.541.022.176FL**

matt black, A 215

10.541.022.000FL

chromeline, A 215

Flow rate 7 l/min (3 bar)

NEW**Kitchen eco**

- Lever mixer
 – CoolFix
 – EcoControl
 – Swivel spout 150°
 – QuickInstallation

KWC-No.**10.541.442.000FL**

matt black, A 215

10.541.442.176FL

chromeline, A 215

**Kitchen**

- Lever mixer
 – Pull-out spray up to 500 mm
 – Swivel spout 120°
 – QuickConnect
 – EasyLock
 – QuickInstallation
 – TouchProtect

KWC-No.**10.541.032.176FL**

matt black, A 205

10.541.032.000FL

chromeline, A 205

Flow rate
 Normal spray 6.8 l/min (3 bar)
 Flow rate
 Needle spray 6.5 l/min (3 bar)

NEW**Kitchen eco**

- Lever mixer
 – CoolFix
 – EcoControl
 – Pull-out spray up to 500 mm
 – Swivel spout 120°
 – QuickConnect
 – EasyLock
 – QuickInstallation
 – TouchProtect

KWC-No.**10.541.462.000FL**

matt black, A 205

10.541.462.176FL

chromeline, A 205

**Kitchen**

- Lever mixer
 – Swivel spout 150°
 – OptimalSpace
 – QuickInstallation

KWC-No.**10.541.012.176FL**

matt black, A 210

10.541.012.000FL

chromeline, A 210

Flow rate 7.6 l/min (3 bar)

**Kitchen**

- Lever mixer
 – Pull-out spray up to 500 mm
 – Swivel spout 120°
 – QuickConnect
 – EasyLock
 – OptimalSpace
 – QuickInstallation

KWC-No.**10.541.002.176FL**

matt black, A 210

10.541.002.000FL

chromeline, A 210

Flow rate
 Normal spray 6.5 l/min (3 bar)
 Flow rate
 Needle spray 6.5 l/min (3 bar)



KWC INOX

Steeled for action

KWC INOX knows that you appreciate good performance. Made of stainless steel, this faucet is as immaculate and robust as its material suggests and is sure to set plenty of new standards in your kitchen – whether it is in terms of material quality, precision or elegance.








This pull-out aerator has both brains and style. It can be pulled out up to 70 cm and retracts seamlessly into the spout.



Adjust the flow: With SprayLock, you can keep the jet of water from your faucet flowing exactly how you want, even when the water is shut off. When you turn the water back on, the water flows in the same way again.


**Kitchen**

Lever mixer
– Swivel spout 160°

KWC-No.

10.271.023.700FL
stainless steel, A 225

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer
– TouchProtect
– Pull-out spout
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.271.103.700FL
stainless steel, A 230

Flow rate
Normal spray 12 l/min (3 bar)


**Kitchen**

Lever mixer
– TouchProtect
– Pull-out spout
– Hose guide, swivelling 130°
– EasyLock
– OptimalSpace

KWC-No.

10.271.303.700FL
stainless steel, A 230

Flow rate 12 l/min (3 bar)


**Kitchen**

Lever mixer
– TouchProtect
– Pull-out spray
– SprayLock
– PowerClean
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.271.033.700FL
stainless steel A 235

Flow rate
Normal spray 12 l/min (3 bar)
Flow rate
Needle spray 13 l/min (3 bar)

**Kitchen**

Lever mixer
– Pull-out spray
– SprayLock
– PowerClean
– Hose guide, swivelling 130°

KWC-No.

10.271.033.736FL
stainless steel/matt black, A 235

Flow rate
Normal spray 12 l/min (3 bar)
Flow rate
Needle spray 13 l/min (3 bar)



KWC ISLA

All-round perfection

For some people, design is the number one concern. For others, it might be convenience or quality. Then there are those who simply want everything to be just right. It is for these people that we have designed KWC ISLA: elegant, functional and precise, right down to the smallest detail.


**Kitchen**

Lever mixer
– Swivel spout 160°

KWC-No.

10.371.023.000FL
chromeline, A 225

Flow rate 14 l/min (3 bar)

**Kitchen**

Lever mixer
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– TwistProtect
– Hose guide, swivelling 95°
– EasyLock

KWC-No.

10.371.033.000FL
chromeline, A 225

Flow rate
Normal spray 9 l/min (3 bar)
Flow rate
Needle spray 9 l/min (3 bar)



KWC KIO

Digital statement in the kitchen



With its cone-shaped body and sculptural design, this faucet brings both futuristic aesthetics and intelligent functionality into the kitchen. KWC KIO offers the option of using digital or manual controls and a handheld shower head – minimalistic design with maximum functionality and perfect ergonomics.



Water temperature and volume can be pre-programmed in three different settings.



Switching from the hygienic, bacteria-free, clear laminar jet to the even, smooth and yet powerful sieve jet is done by pressing the ergonomically arranged switch button.

INDEX









Kitchen

Lever mixer

- Swivel spout 150°, extendable to 360°
- Neoperl® Caché® laminar
- OptimalSpace
- QuickInstallation

KWC-No.

10.481.012.000FL

chromeline, A 220

10.481.012.176FL

matt black, A 220

10.481.012.127FL

decor steel, A 220

Flow rate 11 l/min (3 bar)



Kitchen

Lever mixer

- TouchProtect
- Pull-out spray
- SprayClean
- Neoperl® Perlator® laminar
- PowerClean
- Hose guide, swivelling 150°, can be extended to 360°
- EasyLock
- OptimalSpace
- QuickInstallation

KWC-No.

10.481.002.000FL

chromeline, A 220

10.481.002.176FL

matt black, A 220

10.481.002.127FL

decor steel, A 220

Flow rate

Normal spray 10 l/min (3 bar)

Flow rate

Needle spray 9 l/min (3 bar)



Kitchen

with LED-technology

- TouchProtect
- Microprocessor and drive technology
- Pull-out spray
- SprayClean
- Neoperl® Perlator® laminar
- PowerClean
- Hose guide, swivelling 150°, can be extended to 360°
- EasyLock
- OptimalSpace
- QuickInstallation

KWC-No.

10.481.232.000FL

chromeline, A 220, mains receiver

10.481.232.176FL

matt black, A 220, mains receiver

10.481.232.127FL

decor steel, A 220, mains receiver

Flow rate 10 l/min (3 bar)





KWC LIVELLO

Clean-cut and linear precision

KWC LIVELLO will keep your kitchen standards on the straight and narrow, even if the body of the lever mixer runs off in a crosswise direction. With this high-quality kitchen faucet, you are sending out a clear message that you feel right at home with top quality.



Simple aesthetics, well thought-out down to the last detail: KWC LIVELLO is available in either chrome or stainless steel, with the operating lever differing in design.






**Kitchen**

Lever mixer
 – Swivel spout 125°, extendable to 360°
 – OptimalSpace

KWC-No.

10.231.013.000FL
 chromeline, A 225

Flow rate 11 l/min (3 bar)

**Kitchen**

Lever mixer
 – TouchProtect
 – Pull-out spout
 – Hose guide, swivelling 360°
 – EasyLock
 – OptimalSpace

KWC-No.

10.231.103.000FL
 chromeline, A 225

Flow rate 11 l/min (3 bar)

**Kitchen**

Lever mixer
 – Swivel spout 125°, extendable to 360°
 – OptimalSpace

KWC-No.

10.231.013.700FL
 stainless steel, A 225

Flow rate 11 l/min (3 bar)

**Kitchen**

Lever mixer
 – TouchProtect
 – Pull-out spout
 – Hose guide, swivelling 360°
 – EasyLock
 – OptimalSpace

KWC-No.

10.231.103.700FL
 stainless steel, A 225

Flow rate 11 l/min (3 bar)

**Kitchen**

Lever mixer
 – Etachable for installation below windows – detached 55 mm
 – Swivel spout 125°, extendable to 360°
 – OptimalSpace

KWC-No.

10.231.043.700FL
 stainless steel, A 225

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer
 – TouchProtect
 – Pull-out spout
 – Hose guide, swivelling 360°
 – EasyLock
 – OptimalSpace

KWC-No.

10.231.103.000FL
 chromeline, A 225
10.231.103.700FL
 stainless steel, A 225

Flow rate 11 l/min (3 bar)



KWC LUNA E

A real all-rounder

KWC LUNA E cuts a fine figure across the board with its simple design and intelligent functionality. But there is more: with the comprehensive range from, there is an elegant solution in stock for every application. Even front window solutions and soap dispensers can be included. KWC LUNA E – the popular all-round carefree faucet.



KWC LUNA E is available in three different looks: chromeline or stainless steel for those who like a touch of exclusive shine, and matt black for those who prefer to make a subtler statement.



**Kitchen**

Lever mixer
– Swivel spout 160°

KWC-No.

10.441.023.000FL, chrome,
A 225, flexible connection hoses
10.441.023.176FL, matt black,
A 225, flexible connection hoses

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer
– Pull-out spray up to 600 mm
– SprayClean
– PowerClean
– TouchProtect
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.441.033.000FL, chromeline,
A 220, flexible connection hoses
10.441.033.176FL, matt black,
A 220, flexible connection hoses

Flow rate
Normal spray 10 l/min (3 bar)
Flow rate
Needle spray 10 l/min (3 bar)

**Kitchen**

Lever mixer
– Swivel spout 160°

KWC-No.

10.441.023.700FL, stainless steel,
A 235, flexible connection hoses

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer
– Pull-out spout up to 600 mm
– TouchProtect
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.441.113.700FL, stainless steel,
A 220, flexible connection hoses

Flow rate 9 l/min (3 bar)

**Kitchen**

Lever mixer
– Detachable for installation below
windows – detached 55 mm
– Swivel spout 160°

KWC-No.

10.441.043.000FL, chromeline,
A 225, flexible connection hoses

Flow rate 12 l/min (3 bar)

**Kitchen**

Lever mixer
– Detachable for installation below
windows – detached 55 mm
– Pull-out spray up to 600 mm
– SprayClean
– PowerClean
– TouchProtect
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.441.053.000FL, chromeline,
A 220, flexible connection hoses

Flow rate
Normal spray 10 l/min (3 bar)
Flow rate
Needle spray 9 l/min (3 bar)



Kitchen

Lever mixer

- Swivel spout 160°
- QuickInstallation

KWC-No.

10.445.023.000FL, chromeline,
A 225, flexible connection hoses

Flow rate 6 l/min (3 bar)



Kitchen

Lever mixer

- Pull-out spray up to 600 mm
- SprayClean
- PowerClean
- TouchProtect
- Hose guide, swivelling 130°
- EasyLock
- QuickInstallation

KWC-No.

10.445.033.000FL, chromeline,
A 220, flexible connection hoses

Flow rate
Normal spray 7 l/min (3 bar)
Flow rate
Needle spray 7 l/min (3 bar)



Kitchen

Lever mixer

- Swivel spout 160°
limitable to 150°
- TouchProtect
- SwivelStop
- QuickInstallation

KWC-No.

10.441.013.000FL, chromeline,
A 210, flexible connection hoses
10.441.013.176FL, matt black,
A 210, flexible connection hoses

Flow rate 12 l/min (3 bar)



Kitchen

Lever mixer

- Pull-out spray
- QuickConnect
- Neoperl® Cascade®
- PowerClean
- SwivelStop
- Hose guide, swivelling 150°,
can be extended to 360°
- QuickInstallation

KWC-No.

10.441.004.000FL, chromeline,
A 215, flexible connection hoses
10.441.004.176FL, matt black,
A 215, flexible connection hoses

Flow rate
Normal spray 8 l/min (3 bar)
Flow rate
Needle spray 8 l/min (3 bar)



KWC ONO

Sheer perfection

From the Highflex® technology, the stainless steel medical steel lever to the electronic control. KWC ONO offers a whole tray of architectural delicacies and clever options for the kitchen. Whether stainless steel or chrome-plated, all variants impress with above-average qualities.

The operating lever of the KWC ONO is made of break-proof, corrosion-resistant stainless steel, as used in medical technology. This makes it extremely robust despite its fine appearance.







The innovative Highflex® spring hose opens your kitchen door to the future. The highly curved spring hose, with patented Highflex® technology, can be guided in all directions and automatically returns to its original position. It retains its shape even when not in use and without the shower head holder.



This pull-out aerator has both brains and style. This pull-out aerator has both brains and style. It can be pulled out up to 70 cm and retracts seamlessly into the spout.





**Kitchen**

Lever mixer
– Swivel spout 270°

KWC-No.

10.151.023.000FL
chromeline, A 225
10.151.023.700FL
stainless steel, A 225

Flow rate 12 l/min (3 bar)


**Kitchen**

Lever mixer
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– Hose guide,
swivelling 105°
– EasyLock

KWC-No.

10.151.033.000FL
chromeline, A 220
10.151.033.700FL
stainless steel, A 220

Flow rate
Normal spray 12 l/min (3 bar)
Flow rate
Needle spray 13 l/min (3 bar)

**Kitchen**

Lever mixer
– Detachable for installation below
windows – detached 55 mm
– Swivel spout 270°

KWC-No.

10.151.043.700FL
stainless steel, A 225

Flow rate 11 l/min (3 bar)


**Kitchen**

Lever mixer
– Detachable for installation below
windows – detached 55 mm
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– Hose guide,
swivelling 105°
– EasyLock

KWC-No.

10.151.053.700FL
stainless steel, A 220

Flow rate
Normal spray 9 l/min (3 bar)
Flow rate
Needle spray 9 l/min (3 bar)

**Kitchen**

Lever mixer
– Swivel spout 360°
– OptimalSpace

KWC-No.

10.151.013.000FL
chromeline, A 225

Flow rate 12 l/min (3 bar)




Kitchen

- Lever mixer
- TouchProtect
 - Pull-out aerator covered
 - Hose guide, swivelling 360°
 - EasyLock
 - OptimalSpace

KWC-No.

10.151.102.000FL
chromeline, A 200
10.151.102.700FL
stainless steel, A 200

Flow rate 10 l/min (3 bar)



Kitchen

- Lever mixer
- HighFlex
 - TouchProtect
 - EasyLock
 - Swivel spout 360°
 - Professional spray 360° turn
 - SprayClean
 - PowerClean
 - OptimalSpace

KWC-No.

10.151.423.000FL
chromeline, A 220
10.151.423.700FL
stainless steel, A 220

Flow rate 11 l/min (3 bar)
Spray: Flow rate 3 l/min (3 bar)



KWC SIN

As elegant as it is talented

KWC SIN not only enables you to fulfil your aesthetic ambitions; it says something about your good sense too. After all, it enhances your kitchen with an extra touch of sensuality and intelligent functionality. This kitchen showpiece is available in four versions.



This extendable spray has certainly mastered the art of creating more efficiency in your kitchen. Equipped with jetclean technology and a Neoperl® Caché® with an automatic diverter reset function, it can be rotated 360° and extended by up to 50 cm.



This covered pull-out aerator shares its secrets with you alone. The pull-out spray with a flexible hose is integrated into the spout with perfect discretion.





The innovative Highflex® spring hose from KWC SIN opens your kitchen door to the future. This curved hose can be moved in any direction, returns to its original position automatically and stays firmly in place when it is not being used. If you place the spring hose in the spray holder with the help of a positioning aid, you can use it as a stable swivel spout that can be rotated 360°.






Kitchen

- Lever mixer
- Swivel spout 160°
- OptimalSpace

KWC-No.

10.261.012.000FL
chromeline, A 200

Flow rate 12 l/min (3 bar)



Kitchen

- Lever mixer
- TouchProtect
- Pull-out aerator covered
- Hose guide, swivelling 360°
- EasyLock
- OptimalSpace

KWC-No.

10.261.102.000FL
chromeline, A 200

Flow rate 10 l/min (3 bar)



Kitchen

- Lever mixer
- TouchProtect
- Pull-out spray 360° turn
- SprayClean
- PowerClean
- Hose guide, swivelling 360°
- EasyLock
- OptimalSpace

KWC-No.

10.261.002.000FL
chromeline, A 200

Flow rate
Normal spray 7 l/min (3 bar)
Flow rate
Needle spray 6 l/min (3 bar)



Kitchen

- Lever mixer
- HighFlex
- TouchProtect
- Spray 360° turn
- SprayClean
- PowerClean
- EasyLock
- Swivel spout 360°
- OptimalSpace

KWC-No.

10.261.432.000FL
chromeline, A 200

Flow rate
Normal spray 8 l/min (3 bar)
Flow rate
Needle spray 6 l/min (3 bar)



KWC SUNO

Timeless design for kitchen

Visually stunning, highly practical, and very easy to clean – the KWC SUNO excels in all respects, without being ostentatious. With its minimalist design, the faucet discreetly blends into modern kitchens with straight lines, and the high spout allows plenty of space for working. Regardless of which version you select: the KWC SUNO embodies quality and precision craftsmanship.









Stylish design with control at your fingertips: a concealed integrated diverter makes changing the flow of water perfectly simple whilst ensuring maximum hygiene.



Kitchen

Lever mixer
– Swivel spout 160°

KWC-No.

10.171.023.000FL
chromeline, A 225

Flow rate 12 l/min (3 bar)



Kitchen

Lever mixer
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.171.033.000FL
chromeline, A 230

Flow rate
Normal spray 11 l/min (3 bar)
Flow rate
Needle spray 11 l/min (3 bar)



Kitchen

Lever mixer
– Detachable for installation below windows – detached 55 mm
– Swivel spout 160°

KWC-No.

10.171.043.000FL
chromeline, A 225

Flow rate 12 l/min (3 bar)



Kitchen

Lever mixer
– Detachable for installation below windows – detached 55 mm
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– Hose guide, swivelling 130°
– EasyLock

KWC-No.

10.171.053.000FL
chromeline, A 230

Flow rate
Normal spray 11 l/min (3 bar)
Flow rate
Needle spray 11 l/min (3 bar)



Kitchen

Lever mixer low-pressure
– Swivel spout 160°



KWC-No.

10.175.023.000FL
chromeline, A 225

Flow rate 6 l/min (3 bar)



Kitchen


Lever mixer low-pressure
– TouchProtect
– Pull-out spray
– SprayClean
– PowerClean
– Hose guide, swivelling 130°
– EasyLock



KWC-No.

10.175.033.000FL
chromeline, A 230

Flow rate
Normal spray 7 l/min (3 bar)
Flow rate
Needle spray 7 l/min (3 bar)



Kitchen

Lever mixer
 – Swivel spout 360°
 – OptimalSpace

KWC-No.

10.171.013.000FL
 chromeline, A 225

Flow rate 10 l/min (3 bar)



Kitchen

Lever mixer
 – TouchProtect
 – Pull-out spray
 – SprayClean
 – PowerClean
 – Hose guide, swivelling 360°
 – EasyLock
 – OptimalSpace

KWC-No.

10.171.003.000FL
 chromeline, A 225

Flow rate
 Normal spray 10 l/min (3 bar)
 Flow rate
 Needle spray 10 l/min (3 bar)

KWC VITA PRO 2.0

For specials demands

The KWC VITA PRO 2.0 is perfect for exceptionally high day-to-day demands. The stable bar lever on the tap is extraordinarily robust. It is very comfortable in the hand, and can also be used with the elbow or forearm. The bar lever can be shortened as required and fitted at 180 degrees if desired. The KWC VITA PRO 2.0 is easy to clean, and stands out thanks to its hygienic technologies.



Thanks to its non-slip surface, the extra-long, ergonomic lever can be operated easily and without excessive force using the hand, elbow or forearm.

The Neoperl® Perlator® with metal sleeve generates a hygienic laminar stream without drawing in ambient air. It also minimises water consumption and therefore energy consumption.

With its reinforced cartridges, the KWC VITA PRO 2.0 is significantly more torsion-resistant. It also benefits from optimised acoustics.





Kitchen

- Lever mixer
 – OptimalSpace
 – QuickInstallation
 – Swivel spout 150°

KWC-No.

10.521.023.000FL
 chromeline, A 225

Flow rate 12 l/min (3 bar)



Kitchen

- Lever mixer
 – OptimalSpace
 – QuickInstallation
 – Swivel spout 150°

KWC-No.

10.521.023.000LLFL
 chromeline, A 225, extra-long lever

Flow rate 12 l/min (3 bar)



Kitchen

- Lever mixer
 – TouchProtect
 – SprayClean
 – TripleClean
 – QuickConnect
 – OptimalSpace
 – Hose guide, swivelling 120°

KWC-No.

10.521.033.000FL
 chromeline, A 225

- Flow rate
 Normal spray 8 l/min (3 bar)
 Flow rate
 Needle spray 9 l/min (3 bar)



Kitchen

- Lever mixer
 – TouchProtect
 – SprayClean
 – TripleClean
 – QuickConnect
 – OptimalSpace
 – Hose guide, swivelling 120°

KWC-No.

10.521.033.000LLFL
 chromeline, A 225, extra-long lever

- Flow rate
 Normal spray 8 l/min (3 bar)
 Flow rate
 Needle spray 9 l/min (3 bar)



KWC WAMAS 2.0

Design and user-friendliness in perfect harmony

The KWC WAMAS 2.0 is slightly taller than its predecessor model. This guarantees easier hands-free operation in the kitchen. The design is unchanged in terms of functionality and operation. The spout and lever are slightly arched in shape. They allow for a smooth water flow, thus keeping the components clean for a long time and ensuring easy cleaning. This makes the tap extremely durable. The tap's long service life is also supported by the material. Both aesthetically and functionally, the KWC WAMAS 2.0 is always at the cutting edge.



Kitchen

- Lever mixer
- Swivel spout 160°
- OptimalSpace

KWC-No.

10.471.022.000FL

chromeline, A 220

Flow rate 12 l/min (3 bar)



Kitchen

- Lever mixer
- Pull-out spray
- SprayClean
- TouchProtect
- OptimalSpace
- QuickConnect
- Hose guide, swivelling 130°

KWC-No.

10.471.032.000FL

chromeline, A 220

Flow rate
Normal spray 10 l/min (3 bar)
Flow rate
Needle spray 10 l/min (3 bar)



KWC ZOE

Iconic from every angle

Regardless of the direction in which the spout is turned, the KWC ZOE remains a masterpiece. A highly functional icon for the exposed kitchen counter with outstanding performance. The innovative ClickControl technology combines formal clarity with smarter functionality: Water quantity and additional functions can be conveniently programmed and accessed at the touch of a button.



The water quantity and the temperature and strength of the water jet are individually programmable and retrievable with just a few clicks. ClickControl augments the manual control with smart functions, transforming the KWC ZOE into a smart kitchen aid.







Kitchen

- Lever mixer
- TouchProtect
 - Covered pull-out spray
 - SprayClean
 - PowerClean
 - Hose guide, swivelling 270°, limitable to 120°
 - EasyLock
 - OptimalSpace

KWC-No.

- 10.201.102.000FL**
chromeline, A 215
10.201.102.127FL
decor steel, A 215
10.201.102.176FL
matt black, A 215
10.201.102.150FL
glacier white, A 215

- Flow rate
Normal spray 8 l/min (3 bar)
Flow rate
Needle spray 9 l/min (3 bar)



Kitchen

- Lever mixer with LEDShine
- TouchProtect
 - Covered pull-out spray
 - SprayClean
 - PowerClean
 - Hose guide, swivelling 270°, limitable to 120°
 - EasyLock
 - OptimalSpace

KWC-No.

- 10.201.122.000FL**
chromeline, A 215, Mains receiver
10.201.122.127FL
decor steel, A 215, Mains receiver
10.201.122.176FL
matt black, A 215, Mains receiver
10.201.122.150FL
glacier white, A 215, Mains receiver

- Flow rate
Normal spray 8 l/min (3 bar)
Flow rate
Needle spray 9 l/min (3 bar)



NEW

Kitchen

- Lever mixer
- ClickControl
 - TouchProtect
 - Covered pull-out spray
 - SprayClean
 - PowerClean
 - Hose guide, swivelling 270°, limitable to 120°
 - EasyLock
 - OptimalSpace

KWC-No.

- 10.201.026.000FL**
chromeline, A 215
10.201.026.127FL
decor steel, A 215
10.201.026.176FL
matt black, A 215

- Flow rate
Normal spray 7.9 l/min (3 bar)
Flow rate
Needle spray 8.1 l/min (3 bar)



NEW

Kitchen

- Lever mixer with LEDShine
- ClickControl
 - TouchProtect
 - Covered pull-out spray
 - SprayClean
 - PowerClean
 - Hose guide, swivelling 270°, limitable to 120°
 - EasyLock
 - OptimalSpace


KWC-No.

- 10.201.025.000FL**
chromeline, A 215, Mains receiver
10.201.025.127FL
decor steel, A 215, Mains receiver
10.201.025.176FL
matt black, A 215, Mains receiver

- Flow rate
Normal spray 7.9 l/min (3 bar)
Flow rate
Needle spray 8.1 l/min (3 bar)








KWC Soap dispenser

The large soap container, which is concealed under the sink, has a capacity of 350 ml and is easy to fill from the top thanks to sophisticated technology. KWC soap dispensers provide an extra touch of comfort you won't want to do without.



KWC ERA
Soap dispenser

KWC-No.
Z.538.038.700
stainless steel



KWC BASIC
Soap dispenser

KWC-No.
Z.538.409.000
chromeline
Z.538.409.176
matt black
Z.538.409.177
brushed steel




Iconic
Soap dispenser

KWC-No.
Z.540.156.000
chromeline
Z.536.586.176
matt black
Z.540.156.700
stainless steel




Modern bent
Soap dispenser

KWC-No.
Z.540.157.000
chromeline
Z.540.157.176
matt black
Z.540.157.700
stainless steel
Z.540.157.751
industrial black



Modern design
Soap dispenser

KWC-No.
Z.540.158.000
chromeline
Z.540.158.176
matt black
Z.540.158.700
stainless steel



Modern style
Soap dispenser

KWC-No.
Z.540.159.000
chromeline
Z.540.159.176
matt black
Z.540.159.700
stainless steel



Classic style
Soap dispenser

KWC-No.
Z.540.160.000
chromeline
Z.540.160.176
matt black
Z.540.160.127
brushed steel



Technical Information

The kitchen faucet applications shown in this brochure are examples only. The technology and design may be subject to change during further product development. The suitability of the faucets for the property concerned must be checked on a case-by-case basis. Planning and technical implementation is subject exclusively to the specifications and assembly and service instructions provided by KWC Group AG.

Relevant information can be ordered from KWC or found at www.kwc.com.

Differences in colour on different parts of a stainless steel faucet cannot be excluded.

This may be caused by various factors:

1. Slight differences in material composition may cause the stainless steel to take on a different tone (more yellow or blue in colour).
2. Different cooling or production treatment parameters may also cause colour differentiation.
3. Different surface consistencies caused by the production process (grinding, turning) may result in differences in light refraction.

In a conscious effort to make both the material and the production process clearly visible, no surface coatings are used on KWC stainless steel faucets. By keeping production tolerances at a low level, KWC tries to keep colour differentiation to a minimum.

